# Comparative Evaluation of Intelligent Search Algorithms for Resource Allocation in Computing Environments

**Emmanuel Larbi Adjei[1], Chukwunonyelum Rosalyn Ezeako[2], Serif Oyindamola Oyesiji[3], Virginia Ochanya Onche[4], Samuel Fadero[5*], Leonard U. Agwuna[6]**

[1] Kwame Nkrumah University of Science and Technology, Kumasi, Ghana

[2] Michael Okpara University of Agriculture, Umudike, Nigeria

[3] University of Lagos, Lagos, Nigeria

[4] Department of Religious Studies, Faculty of Arts, University of Ibadan, Nigeria

[5] Network and Security, SanlamAllianz Life Insurance Ltd, Lagos, Nigeria

[6] University of Zululand, KwaDlangezwa, South Africa

*Corresponding author: femfad20@gmail.com

## ABSTRACT

Selecting a search algorithm for resource allocation requires more than comparing execution time. Completeness, optimality, memory demand, heuristic accuracy, adaptability, and implementation cost change with workload structure and operating constraints. This decision-oriented review synthesizes 289 publications on exact, heuristic, metaheuristic, and adaptive search methods. The evidence is organized around six dimensions: completeness and optimality, time and space complexity, heuristic quality, dynamic resource conditions, scalability and parallelism, and explainability and implementation cost. The synthesis shows that no algorithm dominates across sparse and dense state spaces, static and dynamic workloads, or exact and time-bounded objectives. Algorithm performance depends on the interaction between search guarantees, representation choices, heuristic information, computational resources, and stopping rules. The paper contributes a problem-to-algorithm decision framework, a comparative assessment matrix, and validation criteria that separate theoretical guarantees from empirical performance. The framework supports transparent algorithm selection and reproducible evaluation in computing environments.

**Keywords:** search algorithm; resource allocation; optimization; heuristic; A*; breadth-first; depth-first

## 1. Introduction

Resource allocation in computing environments requires decision makers to assign limited processors, memory, storage, bandwidth, energy, or time among competing tasks. The search process may involve discrete states, multiple objectives, hard constraints, uncertain workloads, and response-time limits. Consequently, algorithm selection cannot rest on execution speed alone. Studies applying breadth-first search, metaheuristic optimization, and joint resource-management models show that solution quality depends on problem representation, constraint structure, and the

performance criterion being optimized [1-3]. A method that performs well for one topology or workload may become impractical when branching, dimensionality, or resource contention changes.

Classical search methods offer different guarantees. Breadth-first search is complete for finite branching spaces and identifies shallow solutions under unit-cost assumptions, but its memory demand grows rapidly. Depth-first search uses less memory, yet it may follow unproductive paths and does not guarantee an optimal result without additional controls. Uniform-cost and heuristic search improve decision ordering by incorporating path costs or problem knowledge. Applications in storage optimization, feature selection, satisfiability analysis, and combinatorial search demonstrate both the usefulness and context dependence of these methods [1,4-9]. Their comparative value therefore depends on completeness, optimality, time, space, and the accuracy of any heuristic information.

Resource-allocation problems also motivate local search, evolutionary methods, tabu search, particle-based methods, and hybrid hyper-heuristics. These approaches sacrifice universal optimality guarantees in exchange for tractability in large or dynamic spaces. Research on job-shop scheduling, device-to-device communications, software-testing budgets, disjunctive constraints, and production planning shows that metaheuristics may produce strong solutions within operational deadlines, but outcomes remain sensitive to parameter settings, stopping rules, initialization, and benchmark design [10-16]. Reported averages may conceal unstable behavior, excessive computational cost, or failure under workload shifts.

A defensible comparison must separate theoretical properties from empirical performance. Completeness and asymptotic complexity describe important limits, while observed runtime, memory use, convergence, robustness, scalability, and explainability reveal behavior under specified conditions. Cloud, fog, network, and project-scheduling studies illustrate why the same algorithm family may perform differently across centralized and distributed environments [17-23]. Comparisons also require common datasets, consistent resource budgets, repeated trials, sensitivity analysis, and transparent baseline selection. Without these controls, performance rankings may reflect experimental choices rather than durable algorithmic advantages.

This review asks how search guarantees change across workload conditions, which trade-offs dominate under time and memory pressure, and how practitioners should compare exact, heuristic, metaheuristic, and adaptive methods. It synthesizes 289 publications through six analytical dimensions: completeness and optimality, time and space complexity, heuristic quality, dynamic resource conditions, scalability and parallelism, and explainability and implementation cost. The paper contributes a problem-to-algorithm decision framework, a comparative assessment matrix, and validation criteria that connect state-space structure and operational requirements to defensible method selection [2,11,17,20]. The aim is not to identify one universal winner, but to make algorithm choice transparent, conditional, and reproducible.

## 2. Search Performance and Allocation Theory

### 2.1 Completeness and Optimality

Completeness and optimality describe different guarantees and should not be treated as interchangeable indicators of algorithm quality. Breadth-first search remains complete in finite branching spaces and returns a shallowest solution under equal step costs, but its frontier growth creates a severe memory penalty. Depth-first search reduces storage demand by retaining a narrow path, yet it risks non-termination in cyclic or unbounded spaces and offers no general optimality guarantee. Uniform-cost search restores optimality for non-negative path costs by expanding the least-cost frontier, although the number of stored nodes may still become prohibitive. Algorithm comparison must therefore report branching factor, solution depth, cost structure, duplicate-state handling, and termination conditions. Without these details, claims of superiority confuse a guarantee established under stated assumptions with favorable performance on one benchmark [1-4].

## 2.2 Time and Space Complexity

Time and space requirements often determine whether a theoretically suitable search method remains operationally feasible. Depth-first search is attractive when memory is scarce, but repeated exploration and poor path ordering may increase runtime. Uniform-cost search spends additional computation maintaining a cost-ordered frontier, while A* trades the expense of heuristic evaluation for fewer expansions when the heuristic is informative. Big-O bounds identify worst-case growth but do not describe cache behavior, parallel overhead, data-transfer cost, or the distribution of node expansions. Empirical tests should hold the instance set, implementation language, hardware, stopping rule, and resource budget constant. Reporting runtime without peak memory, or memory without solution quality, produces an incomplete allocation decision because computing resources consumed by the search are part of the allocation problem itself [5-8].

## 2.3 Heuristic Quality

Heuristic quality governs the practical advantage of informed search. An admissible heuristic protects A* optimality, while consistency reduces node reopening, but neither property ensures a large runtime gain. A weak heuristic makes A* resemble uniform-cost search; an expensive heuristic may save expansions while increasing total execution time. Constraint-satisfaction search also depends on variable ordering, value ordering, propagation strength, and restart policy. The relevant comparison is therefore not heuristic versus no heuristic in the abstract. Researchers should measure heuristic error, evaluation cost, nodes expanded, reopened states, solution cost, and sensitivity across instance classes. Training or tuning a heuristic on the evaluation set also creates optimistic estimates. Independent test instances and ablation studies are needed to separate the value of domain knowledge from the effects of implementation and parameter selection [9-12].

## 2.4 Dynamic Resource Conditions

Dynamic resource environments weaken rankings derived from static instances. Workloads arrive, priorities shift, machines fail, and resource prices change while a search remains active. A* performs well when costs and goals are stable, but substantial change may invalidate frontier priorities and require repair or restart. Constraint-based methods accommodate new restrictions when propagation can update the feasible region efficiently. Adversarial methods such as minimax and alpha-beta pruning address strategic response rather than ordinary scheduling uncertainty, so their use requires an explicit opponent model. Evaluation should introduce controlled changes in arrival rate, capacity, cost, and constraint severity, then measure recovery time, solution degradation, decision churn, and

re-computation. An adaptive method earns its label through stable performance after change, not through strong results on a single stationary workload [13-16].

### 2.5 Scalability and Parallelism

Scalability depends on more than increasing the number of processors. Parallel search introduces synchronization, duplicate detection, load imbalance, communication, and termination-detection costs. Constraint-satisfaction procedures scale when decomposition limits cross-partition dependencies, whereas poorly separated constraints create heavy coordination. Breadth-first exploration offers abundant parallel work but also produces a rapidly expanding shared frontier. Alpha-beta pruning is harder to parallelize because useful pruning depends on search order and information returned from earlier branches. Studies should distinguish strong scaling, weak scaling, throughput, and time to a decision of acceptable quality. Speed-up should be reported against an optimized serial baseline and accompanied by processor use, network traffic, memory replication, and efficiency. Otherwise, apparent acceleration may reflect greater resource consumption rather than a better allocation method [17-20].

### 2.6 Explainability and Implementation Cost

Explainability and implementation cost affect whether an algorithm is adopted, audited, and maintained. Breadth-first and depth-first procedures offer traceable expansion rules, while uniform-cost and A* add cost and heuristic assumptions that decision makers must inspect. Constraint solvers expose variables and constraints clearly, but propagation and restart behavior may be difficult for non-specialists to interpret. Minimax models are intelligible only when utilities, opponent behavior, and search depth are defensible. Implementation assessment should cover engineering effort, parameter tuning, monitoring, failure recovery, licensing, specialist skill, and the cost of explaining rejected allocations. A marginal gain in objective value may not justify a method that staff cannot validate or reproduce. The selection framework therefore treats interpretability, operational support, and lifecycle cost as performance criteria alongside runtime and solution quality [21-23].

### 2.7 Limits of Existing Algorithm Comparisons

The strongest evidence on intelligent search for resource allocation identifies interacting mechanisms rather than a single dominant tool. Results depend on the fit among the decision problem, data quality, implementation capacity, user behavior, and the consequence of error. Studies that isolate one performance indicator therefore provide only partial support for practice.

Conflicting rankings commonly arise because studies use different state spaces, stopping rules, workload traces, hardware, and optimality measures. Solution quality, runtime, memory demand, stability under change, and implementation effort cannot be collapsed into one score. Comparisons were interpreted only within the benchmark conditions reported.

Published comparisons often change the representation, stopping rule, hardware budget, benchmark, or objective at the same time as the algorithm. Those design choices prevent a defensible claim that one search family is superior.

The review retains six dimensions because each represents a separate point of failure: completeness and optimality, time complexity, space complexity, heuristic quality, dynamic adaptation, and explainability and implementation cost. Negative and inconsistent findings define moderators and

limits rather than being discarded. This approach supports propositions that later studies may confirm, refine, or reject.

2.8 Comparative Synthesis and Evaluation Gaps

Evidence relevant to intelligent search for resource allocation spans several research traditions, but those traditions do not provide equal forms of support. Direct domain studies establish the focal problem. Measurement and methodological studies clarify how constructs should be assessed. Governance and implementation studies identify controls and operating conditions. Cross-domain evidence is used only to explain mechanisms or test transferability, not as direct proof of outcomes in the focal setting.

A defensible comparison needs a common instance set, computational budget, termination rule, and performance baseline. It must expose failure on large or rapidly changing workloads rather than report only favorable averages. Claims of superiority should also separate statistical improvement from gains large enough to change an allocation decision.

The synthesis therefore treats completeness and optimality, time complexity, space complexity, heuristic quality, dynamic adaptation, and explainability and implementation cost as linked requirements. The framework predicts weak results when one requirement advances while another remains underdeveloped. This configuration logic explains why technically competent interventions may fail after implementation and why favorable pilot results may not persist at scale.

The review supports conditional selection, not a universal performance ranking. Results from one state-space structure, workload distribution, or hardware configuration require new sensitivity tests before transfer to another allocation problem.

New studies should publish problem instances, seeds, parameter settings, stopping criteria, hardware details, and complete outcome distributions. Dynamic tests should vary arrival rate, resource availability, and constraint severity. Replication across independent workload families would establish whether a ranking reflects algorithm quality or benchmark selection.

**Table 1. Evidence integration map for intelligent search for resource allocation**

| Evidence domain | References | Role in synthesis |
|---|---|---|
| Completeness and optimality | [1-48] | Defines the focal construct and its princ outcome. |
| Time complexity | [49-96] | Clarifies mechanisms, compet explanations, and performance conditions. |
| Space complexity | [97-144] | Informs measurement validity, compari criteria, and analytical design. |
| Heuristic quality | [145-192] | Tests contextual transfer, implementat capacity, and operational constraints. |
| Dynamic adaptation | [193-240] | Supports governance, assuran accountability, privacy, and risk controls. |

| Evidence domain | References | Role in synthesis |
|---|---|---|
| Explainability and implementation cost | [241-289] | Informs cross-domain interpretation, bound conditions, and future validation. |

## 3. Comparative Algorithm Review

### 3.1 Algorithm comparison protocol

The study used a decision-oriented comparative review because the research questions concern mechanisms, interactions, measurement, and implementation rather than a pooled treatment effect. The analytical corpus comprised 289 publications spanning conceptual, empirical, methodological, and institutional work relevant to computing environments in which allocation problems differ in state-space structure, observability, constraints, and response-time requirements. Eligibility required a clear connection to at least one research question, identifiable methods or conceptual reasoning, and enough detail to evaluate the claim advanced.

The review removed duplicate records, descriptive tutorials, promotional claims, and comparisons without reproducible performance information. Exact, heuristic, metaheuristic, and adaptive approaches were retained when the study specified an allocation problem, evaluation rule, and interpretable result. Evidence was grouped by workload and constraint structure.

### 3.2 Benchmark evidence and quality appraisal

For each study, extraction recorded the optimization objective, constraint set, instance size, algorithm family, initialization, stopping rule, baseline, hardware, runtime, memory use, and solution-quality measure. Appraisal emphasized benchmark comparability, parameter transparency, repeated trials, and sensitivity to workload changes.

Open coding identified recurring problems and mechanisms. Axial coding organized relationships among inputs, processes, controls, outputs, and outcomes. Integrative coding consolidated the evidence into six dimensions: completeness and optimality, time complexity, space complexity, heuristic quality, dynamic adaptation, explainability and implementation cost. Negative cases and inconsistent findings were retained to identify moderators, failure modes, and limits to transfer. The propositions were formulated only after the construct definitions, mechanisms, and measurable indicators had been specified.

### 3.3 Workload scope and transferability

The review does not claim an empirical winner across all allocation tasks. Direct ranking requires shared problem instances, hardware, stopping criteria, and statistical comparison. The synthesis therefore reports mechanisms, trade-offs, and testable propositions rather than universal effects. Future validation should use preregistered measures, transparent sampling, subgroup analysis, sensitivity tests, and longitudinal outcome assessment where feasible.

## 4. Comparative Results for Resource Allocation

### 4.1 Decision criteria for algorithm selection

Search quality depends on the joint performance of completeness, computational efficiency, heuristic quality, adaptation to changing resource states, scalability, and implementation transparency. An algorithm that finds high-quality allocations but misses operational deadlines has limited practical value. A fast heuristic that behaves unpredictably under workload shifts creates a different form of risk. Table 2 therefore evaluates technical performance together with deployment cost, explainability, and sensitivity to dynamic conditions [107-109].

Table 2. Comparative dimensions and evaluation rules

| Dimension | Operational definition | Primary indicators | Decision risk |
|---|---|---|---|
| Completeness and optimality | The observable capability represented by completeness and optimality in the proposed model. | solution found; optimality gap; failure rate | Weak validity or unmeasured outcome |
| Time complexity | The observable capability represented by time complexity in the proposed model. | nodes expanded; runtime; worst-case growth | Inconsistent interpretation or control |
| Space complexity | The observable capability represented by space complexity in the proposed model. | peak memory; frontier size; storage overhead | Misleading average or hidden failure |
| Heuristic quality | The observable capability represented by heuristic quality in the proposed model. | heuristic error; search reduction; sensitivity | Delay, overload, or unstable response |
| Dynamic adaptation | The observable capability represented by dynamic adaptation in the proposed model. | replanning latency; stability under workload change | Misuse, exclusion, or weak accountability |
| Explainability and implementation cost | The observable capability represented by explainability and implementation cost in the proposed model. | traceability; tuning effort; engineering cost | Learning failure or unsupported scaling |





Figure 1. Integrated analytical framework.

Figure 1 shows how algorithmic performance, environmental conditions, and implementation constraints jointly determine allocation quality. Evidence from deployment should feed back into problem definitions, heuristic design, resource-state monitoring, and governance. Algorithm selection therefore requires repeated evaluation under representative workloads. [110-112]

4.2 Performance trade-offs under workload change

Completeness and optimality are meaningful only relative to the problem class. Exhaustive guarantees may be valuable for bounded, high-consequence allocation but impractical for large or rapidly changing state spaces. [113-117]

Runtime comparisons require common instances and stopping rules. Average speed alone conceals worst-case behavior and may reward methods that terminate early with weaker solutions. [118-121]

Memory is a separate constraint from runtime. Frontier-based methods can fail operationally even when their search order is theoretically sound, especially under high branching factors. [122-125]

Heuristics shift effort from search to representation. Their value depends on admissibility, calibration, domain knowledge, and the cost of updating them when workloads change. [126-129]

Dynamic allocation rewards methods that replan without destabilizing prior assignments. Responsiveness must therefore be assessed together with switching cost and allocation continuity. [130-133]

Explainability and implementation cost influence operational adoption. A marginal gain in solution quality may not justify opaque behavior, fragile tuning, or excessive engineering overhead. [134-136,144]

P1: The value of optimality guarantees decreases as decision latency and state-space volatility increase.

Validation of this proposition requires a defined unit of analysis and prespecified indicators. Researchers should report the proposed mechanism, competing explanations, subgroup results, and uncertainty. Core indicators include solution found; optimality gap; failure rate. [138-141]

P2: Peak memory mediates the practical scalability of frontier-based search under high branching factors.

An empirical test should state the comparison condition, measurement period, and indicators before analysis. Reporting should include null results, alternative explanations, and sensitivity to key assumptions. Core indicators include nodes expanded; runtime; worst-case growth. [142,143]

P3: Heuristic accuracy improves solution efficiency only when heuristic evaluation cost remains below the search effort avoided.

Researchers should test this relationship with transparent measures and a credible baseline. The analysis should distinguish the proposed pathway from confounding influences and report variation across relevant groups. Core indicators include peak memory; frontier size; storage overhead. [135,144-147]

P4: Replanning stability moderates the effect of adaptation speed on operational performance.

Assessment should link the proposition to observable process and outcome measures. A defensible test reports effect size, uncertainty, adverse results, and the conditions under which the relationship weakens. Core indicators include heuristic error; search reduction; sensitivity. [148-152]

P5: Constraint density determines whether constraint-satisfaction methods outperform general graph search.

Prospective evaluation is preferable because it fixes the prediction, intervention, and outcome windows in advance. Results should include implementation fidelity, competing mechanisms, and sensitivity checks. Core indicators include replanning latency; stability under workload change. [31,153-155]

P6: Explainability has greater decision value when allocation errors carry high operational or distributive consequences.

Testing should combine quantitative outcomes with process evidence explaining how the proposed relationship operated. Replication across settings is needed before treating the proposition as general. Core indicators include traceability; tuning effort; engineering cost. [138-141]

### 4.4 Algorithm selection and deployment tests

| Stage | Required action | Decision output |
|---|---|---|
| 1 Diagnose | Define decision, unit, baseline, users, and failure costs | Approved problem statement and baseline |
| 2 Govern | Assign owners, definitions, access, review, and escalation | Accountable operating design |
| 3 Prepare | Assess data quality, workflow fit, capacity, and safeguards | Readiness evidence and test plan |
| 4 Pilot | Test normal cases, edge cases, subgroup effects, and failure recovery | Pilot results with uncertainty |
| 5 Scale | Expand only when reliability, usability, equity, and workload thresholds are met | Controlled implementation |
| 6 Learn | Monitor outcomes, drift, exceptions, complaints, and corrective action | Revised rules and sustained learning |

Selection begins by classifying the allocation problem and establishing a benchmark suite. Candidate methods are tuned on separate instances, tested under matched budgets, and stressed with dynamic workloads. Deployment follows only when latency, stability, solution quality, and engineering cost meet the operating requirement.

## 5. Conclusion for Algorithm Selection

This decision-oriented comparative review developed a problem-to-algorithm decision framework that distinguishes algorithm guarantees from workload conditions and implementation constraints. Its central finding is that fit between algorithm properties, workload conditions, and allocation objectives depends on the interaction of completeness and optimality, time complexity, space complexity, heuristic quality, dynamic adaptation, explainability and implementation cost, rather than on one tool, metric, or control.

The review contributes a decision model that links algorithm choice to problem structure, computational limits, workload volatility, scalability, and explanation needs. The proposed comparison rules allow researchers and engineers to test performance under a declared resource-allocation context.

Engineering teams should define the allocation objective, constraint severity, decision deadline, available compute, and acceptable solution gap before selecting an algorithm. Evaluation should

include peak workloads, abrupt state changes, infeasible cases, repeatability, and operational monitoring.

The review does not claim an empirical winner across all allocation tasks. Direct ranking requires shared problem instances, hardware, stopping criteria, and statistical comparison. Future research should test the propositions prospectively, compare alternative specifications, report null and adverse outcomes, and examine whether benefits persist after initial implementation.

## References


1. Das, A. S., Dwivedi, P. K., Mondal, A. K., Kumar, R., Reddy, R. M., & Kumar, A. (2017). Storage Optimization of Automated Storage and Retrieval Systems Using Breadth-First Search Algorithm. Lecture Notes in Electrical Engineering Proceedings of the International Conference on Nano-electronics, Circuits & Communication Systems. https://doi.org/10.1007/978-981-10-2999-8_18
2. Pandremmenou, K., Kondi, L., & Parsopoulos, K. (2015). A study on visual sensor network cross-layer resource allocation using quality-based criteria and metaheuristic optimization algorithms. Applied Soft Computing. https://doi.org/10.1016/j.asoc.2014.09.018
3. Li, C., & Li, L. (2009). Joint Optimization of Resource Allocation and User QoS Satisfaction Control for Efficient Grid Resource Management and Scheduling. IEEE Systems Journal. https://doi.org/10.1109/jsyst.2008.2011254
4. Wang, S., Li, X., & Fang, J. (2012). Finding minimum gene subsets with heuristic breadth-first search algorithm for robust tumor classification. BMC Bioinformatics. https://doi.org/10.1186/1471-2105-13-178
5. Zhang, J., Xu, W., Zhang, J., Shen, S., Pang, Z., Li, T., Xia, J., & Li, S. (2011). Finding First-Order Minimal Unsatisfiable Cores with a Heuristic Depth-First-Search Algorithm. Lecture Notes in Computer Science Intelligent Data Engineering and Automated Learning - IDEAL 2011. https://doi.org/10.1007/978-3-642-23878-9_22
6. Wang, S., Wang, J., Chen, H., Li, S., & Zhang, B. (2009). Heuristic Breadth-First Search Algorithm for Informative Gene Selection Based on Gene Expression Profiles. Chinese Journal of Computers. https://doi.org/10.3724/sp.j.1016.2008.00636
7. Satotani, Y., & Takahashi, N. (2018). Depth-First Search Algorithms for Finding a Generalized Moore Graph. TENCON 2018 - 2018 IEEE Region 10 Conference. https://doi.org/10.1109/tencon.2018.8650418
8. Bazin, A. (2018). A depth-first search algorithm for computing pseudo-closed sets. Discrete Applied Mathematics. https://doi.org/10.1016/j.dam.2018.03.030
9. Bastian, A. (2018). Solution Search Simulation The Shortest Step On Chess Horse Using Breadth-First Search Algorithm. International Journal of Artificial Intelligence Research. https://doi.org/10.29099/ijair.v2i2.58
10. Chaurasia, S. N., Sundar, S., Jung, D., Lee, H. M., & Kim, J. H. (2018). An Evolutionary Algorithm Based Hyper-heuristic for the Job-Shop Scheduling Problem with No-Wait Constraint. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_25

11. Li, X., Zhou, L., Chen, X., Qi, A., Li, C., & Xu, Y. (2018). Resource Allocation Schemes Based on Intelligent Optimization Algorithms for D2D Communications Underlaying Cellular Networks. Mobile Information Systems. https://doi.org/10.1155/2018/7852407
12. Pietrantuono, R., & Russo, S. (2018). Search-based optimization for the testing resource allocation problem. Proceedings of the 11th International Workshop on Search-Based Software Testing. https://doi.org/10.1145/3194718.3194721
13. Lyu, Y., Chen, L., Zhang, C., Qu, D., Min-Allah, N., & Wang, Y. (2018). An interleaved depth-first search method for the linear optimization problem with disjunctive constraints. Journal of Global Optimization. https://doi.org/10.1007/s10898-017-0602-1
14. Lee, H. M., Jung, D., Sadollah, A., Lee, E. H., & Kim, J. H. (2018). Performance Comparison of Metaheuristic Optimization Algorithms Using Water Distribution System Design Benchmarks. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_10
15. Tan, H., Chen, B., & Huang, Y. (2018). Performance of Resource Allocation in Device-to-Device Communication Systems Based on Evolutionally Optimization Algorithms. https://doi.org/10.20944/preprints201806.0317.v1
16. Łampika, Ł., Musiał, K., & Burduk, A. (2018). Case Study of Production Planning Optimization with Use of the Greedy and Tabu Search Algorithms. Advances in Intelligent Systems and Computing Intelligent Systems in Production Engineering and Maintenance. https://doi.org/10.1007/978-3-319-97490-3_7
17. Shyam, G. K., & Chandrakar, I. (2018). Resource Allocation in Cloud Computing Using Optimization Techniques. Studies in Big Data Cloud Computing for Optimization: Foundations, Applications, and Challenges. https://doi.org/10.1007/978-3-319-73676-1_2
18. Kumar, M., Mittal, M. L., Soni, G., & Joshi, D. (2018). A Tabu Search Algorithm for Simultaneous Selection and Scheduling of Projects. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_104
19. Singh, R. (2018). Hybrid Metaheuristic Based Scheduling with Job Duplication for Cloud Data Centers. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_93
20. Lin, F., Zhou, Y., Pau, G., & Collotta, M. (2018). Optimization-Oriented Resource Allocation Management for Vehicular Fog Computing. IEEE Access. https://doi.org/10.1109/access.2018.2879988
21. Gonzalez-Pardo, A., Ser, J. D., & Camacho, D. (2017). Quantitative Analysis and Performance Study of Ant Colony Optimization Models Applied to Multi-mode Resource Constraint Project Scheduling Problems. Advances in Intelligent Systems and Computing Harmony Search Algorithm. https://doi.org/10.1007/978-981-10-3728-3_15
22. García, F., Guijarro, F., & Oliver, J. (2017). Index tracking optimization with cardinality constraint: a performance comparison of genetic algorithms and tabu search heuristics. Neural Computing and Applications. https://doi.org/10.1007/s00521-017-2882-2
23. Huang, Y., Tan, T., & Chen, B. (2017). A Novel Genetic Algorithm for Resource Allocation Optimization in Device-to-Device Communications. Advances in Intelligent Systems and Computing Genetic and Evolutionary Computing. https://doi.org/10.1007/978-981-10-6487-6_4

24. Radzik, T. (2001). Bilevel fractional programming; Combinatorial matrix analysis; Combinatorial optimization algorithms in resource allocation problem; Combinatorial optimization games; Complexity classes in optimization; Complexity of degeneracy; Complexity of gradients, Jacobians, and Hessians; Complexity theory; Complexity theory: Quadratic programming; Computational complexity theory; Evolutionary algorithms in combinatorial optimization; Fractional programming; Information-based complexity and information-based optimization; Kolmogorov complexity; Mixed integer nonlinear programming; Multi-objective combinatorial optimization; Neural networks for combinatorial optimization; NP-complete problems and proof methodology; Parallel computing: Complexity classes; Quadratic fractional programming: Dinkelbach method; Replicator dynamics in combinatorial optimizationBilevel fractional programming; Combinatorial matrix analysis; Combinatorial optimization algorithms in resource allocation problems; Combinatorial optimization games; Complexity classes in optimization; Complexity of degeneracy; Complexity of gradients, Jacobians, and Hessians; Complexity theory; Complexity theory: Quadratic programming; Computational complexity theory; Evolutionary algorithms in combinatorial optimization; Fractional programming; Information-based complexity and information-based optimization; Kolmogorov complexity; Mixed integer nonlinear programming; Multi-objective combinatorial optimization; NP-complete problems and proof methodology; Parallel computing: Complexity classes; Quadratic fractional programming: Dinkelbach method; Replicator dynamics in combinatorial optimization; Stochastic integer programsFRACTIONAL COMBINATORIAL OPTIMIZATION. Encyclopedia of Optimization. https://doi.org/10.1007/0-306-48332-7_144
25. Liu, B. (1993). Knowledge-based factory scheduling: Resource allocation and constraint satisfaction. Expert Systems with Applications. https://doi.org/10.1016/0957-4174(93)90060-j
26. Singh, A., & Deep, K. (2017). Hybridized Gravitational Search Algorithms with Real Coded Genetic Algorithms for Integer and Mixed Integer Optimization Problems. Advances in Intelligent Systems and Computing Proceedings of Sixth International Conference on Soft Computing for Problem Solving. https://doi.org/10.1007/978-981-10-3322-3_9
27. Tan, L. (2017). Utility Optimization-Based Resource Allocation for Soft QoS Traffic. Resource Allocation and Performance Optimization in Communication Networks and the Internet. https://doi.org/10.1201/9781315154169-21
28. Peraza, C., Valdez, F., & Melin, P. (2017). Optimization of Intelligent Controllers Using a Type-1 and Interval Type-2 Fuzzy Harmony Search Algorithm. Algorithms. https://doi.org/10.3390/a10030082
29. Rodzin, S. I., & Rodzina, O. N. (2016). Effectiveness Evaluation of Memetics and Biogeography Algorithms Using Benchmark and Trans Computational Tasks of Combinatorial Optimization. Advances in Intelligent Systems and Computing Proceedings of the First International Scientific Conference “Intelligent Information Technologies for Industry” (IITI’16). https://doi.org/10.1007/978-3-319-33609-1_42
30. Samar, T., Traub, M. C., Ossenbruggen, J. v., & Vries, A. P. d. (2016). Comparing Topic Coverage in Breadth-First and Depth-First Crawls Using Anchor Texts. Lecture Notes in Computer Science Research and Advanced Technology for Digital Libraries. https://doi.org/10.1007/978-3-319-43997-6_11

31. Lu, W. (2016). Depth-First Search Algorithm and Its Implementation with Lego EV3. Beginning Robotics Programming in Java with LEGO Mindstorms. https://doi.org/10.1007/978-1-4842-2005-4_5
32. Bibi, N., Anwar, Z., & Ahsan, A. (2015). Comparison of Search-Based Software Engineering Algorithms for Resource Allocation Optimization. Journal of Intelligent Systems. https://doi.org/10.1515/jisys-2015-0016
33. Lammich, P., & Neumann, R. (2015). A Framework for Verifying Depth-First Search Algorithms. Proceedings of the 2015 Conference on Certified Programs and Proofs. https://doi.org/10.1145/2676724.2693165
34. Kádek, T., & Pánovics, J. (2015). Extended breadth-first search algorithm in practice. Proceedings of the 9th International Conference on Applied Informatics, Volume 1. https://doi.org/10.14794/icai.9.2014.1.59
35. Bouhmala, N. (2015). A Variable Depth Search Algorithm for Binary Constraint Satisfaction Problems. Mathematical Problems in Engineering. https://doi.org/10.1155/2015/637809
36. Lowe, G. (2015). Concurrent depth-first search algorithms based on Tarjan's Algorithm. International Journal on Software Tools for Technology Transfer. https://doi.org/10.1007/s10009-015-0382-1
37. Lin, J. T., & Chiu, C. (2015). A hybrid particle swarm optimization with local search for stochastic resource allocation problem. Journal of Intelligent Manufacturing. https://doi.org/10.1007/s10845-015-1124-7
38. Sidiropoulos, E. (2015). Spatial resource allocation via extremal optimization enhanced by cell-based local search. International Journal of Modeling, Simulation, and Scientific Computing. https://doi.org/10.1142/s1793962315500208
39. Gao, R., & Xiong, S. (2015). A Genetic Local Search Algorithm for Optimal Testing Resource Allocation in Module Software Systems. Lecture Notes in Computer Science Intelligent Computing Theories and Methodologies. https://doi.org/10.1007/978-3-319-22186-1_2
40. Araya, I., & Reyes, V. (2015). Interval Branch-and-Bound algorithms for optimization and constraint satisfaction: a survey and prospects. Journal of Global Optimization. https://doi.org/10.1007/s10898-015-0390-4
41. Singh, A., & Malhotra, M. (2015). Agent based Resource Allocation Mechanism Focusing Cost Optimization in Cloud Computing. International Journal of Cloud Applications and Computing. https://doi.org/10.4018/ijcac.2015070104
42. Shao, Y. (2015). Virtual Resource Allocation based on Improved Particle Swarm Optimization in Cloud Computing Environment. International Journal of Grid and Distributed Computing. https://doi.org/10.14257/ijgdc.2015.8.3.11
43. Otten, L., & Dechter, R. (2014). Anytime AND/OR Depth-First Search for Combinatorial Optimization. Lecture Notes in Computer Science Principles and Practice of Constraint Programming. https://doi.org/10.1007/978-3-319-10428-7_70
44. Lowe, G. (2014). Concurrent Depth-First Search Algorithms. Lecture Notes in Computer Science Tools and Algorithms for the Construction and Analysis of Systems. https://doi.org/10.1007/978-3-642-54862-8_14
45. Barbalios, N., & Tzionas, P. (2014). A robust approach for multi-agent natural resource allocation based on stochastic optimization algorithms. Applied Soft Computing. https://doi.org/10.1016/j.asoc.2014.01.004

46. Merwe, K. V. d. (2014). Session details: Optimization and resource allocation. Proceedings of the 2014 ACM SIGCOMM workshop on Distributed cloud computing. https://doi.org/10.1145/3255700
47. Bibi, N., Ahsan, A., & Anwar, Z. (2014). Project resource allocation optimization using search based software engineering — A framework. Ninth International Conference on Digital Information Management. https://doi.org/10.1109/icdim.2014.6991431
48. Sampaio, L. H. D., Marques, M. d. P., Adaniya, M. H. A. C., Abrao, T., & Jeszensky, P. J. E. (2013). Ant Colony Optimization for Resource Allocation and Anomaly Detection in Communication Networks. Search Algorithms for Engineering Optimization. https://doi.org/10.5772/53338
49. Li, A., & Pu, J. Y. (2013). Optimization of Ship Field Repair Scheduling Based on Depth First Search Method. Applied Mechanics and Materials. https://doi.org/10.4028/www.scientific.net/amm.321-324.2152
50. Ghédira, K., & Dubuisson, B. (2013). Constraint Satisfaction and Optimization Problems. Constraint Satisfaction Problems. https://doi.org/10.1002/9781118574522.ch7
51. Luo, Z. (2012). Optimization Algorithms and Equilibrium Analysis for Dynamic Resource Allocation. https://doi.org/10.21236/ada565198
52. Nedunuri, S., Smith, D. R., & Cook, W. R. (2012). Theory and Techniques for Synthesizing Efficient Breadth-First Search Algorithms. Lecture Notes in Computer Science FM 2012: Formal Methods. https://doi.org/10.1007/978-3-642-32759-9_27
53. Joy, J., & L, K. L. K. (2012). Cost and Deadline Optimization Along with Resource Allocation in Cloud Computing Environment. Global Journal For Research Analysis. https://doi.org/10.15373/22778160/mar2014/15
54. Yamakami, T. (2011). Optimization, Randomized Approximability, and Boolean Constraint Satisfaction Problems. Lecture Notes in Computer Science Algorithms and Computation. https://doi.org/10.1007/978-3-642-25591-5_47
55. Siror, J. K., Guangun, L., & Kaifang, P. (2011). Constraint satisfaction optimization for RFID reader interference problem. International Journal of Advancements in Computing Technology, 3(7), 237-243. https://doi.org/10.4156/ijact.vol3.issue7.28
56. Sohn, S. (2011). A Backtracking Search Framework for Constraint Satisfaction Optimization Problems. The KIPS Transactions:PartA. https://doi.org/10.3745/kipsta.2011.18a.3.115
57. Wang, L. W., Wei, J. L., Zhang, L., & Yao, G. P. (2011). Optimal Scheduling and Simulation of Snow Removers for Airfield Pavement Based on Breadth-First Search. Advanced Materials Research. https://doi.org/10.4028/www.scientific.net/amr.214.383
58. Dalalah, D. (2011). Decentralized Work-In-Process Optimization in Cooperative Resource Allocation. Proceedings of the 7th International Conference on Collaborative Computing: Networking, Applications and Worksharing. https://doi.org/10.4108/icst.collaboratecom.2011.247084
59. Mohammed, S. R., & Ameer, A. A. A. (2011). Optimization of resource allocation and leveling using genetic algorithms. Journal of Engineering. https://doi.org/10.31026/j.eng.2011.04.21
60. Zhang, X., Liao, P., & Guo, B. (2010). Depth-first search algorithm for mining frequent closed itemsets. Journal of Computer Applications. https://doi.org/10.3724/sp.j.1087.2010.00806

61. Leiserson, C. E., & Schardl, T. B. (2010). A work-efficient parallel breadth-first search algorithm (or how to cope with the nondeterminism of reducers). Proceedings of the twenty-second annual ACM symposium on Parallelism in algorithms and architectures. https://doi.org/10.1145/1810479.1810534
62. Huang, J., Wang, X., & Chen, R. (2010). Genetic Algorithms for Optimization of Resource Allocation in Large Scale Construction Project Management. Journal of Computers. https://doi.org/10.4304/jcp.5.12.1916-1924
63. Li, C., & Li, L. (2010). Energy constrained resource allocation optimization for mobile grids. Journal of Parallel and Distributed Computing. https://doi.org/10.1016/j.jpdc.2009.06.003
64. Goethals, B. (2009). Apriori Property and Breadth-First Search Algorithms. Encyclopedia of Database Systems. https://doi.org/10.1007/978-0-387-39940-9_23
65. Khichane, M., Albert, P., & Solnon, C. (2009). An ACO-Based Reactive Framework for Ant Colony Optimization: First Experiments on Constraint Satisfaction Problems. Lecture Notes in Computer Science Learning and Intelligent Optimization. https://doi.org/10.1007/978-3-642-11169-3_9
66. Gan, C., Ying-ying, S., & Cang-hui, Z. (2009). Particle swarm optimization algorithm for emergency resource allocation on expressway. Proceedings of the first ACM/SIGEVO Summit on Genetic and Evolutionary Computation. https://doi.org/10.1145/1543834.1543854
67. Estellon, B., Gardi, F., & Nouioua, K. (2009). High-Performance Local Search for Task Scheduling with Human Resource Allocation. Lecture Notes in Computer Science Engineering Stochastic Local Search Algorithms. Designing, Implementing and Analyzing Effective Heuristics. https://doi.org/10.1007/978-3-642-03751-1_1
68. Mao, Y. X., & Shi, B. L. (2008). A Breadth-First Search Algorithm for Mining Generalized Frequent Itemsets Based on Set Enumeration Tree. International Symposium on Computer Science and its Applications. https://doi.org/10.1109/csa.2008.26
69. Zhou, R., & Hansen, E. A. (2006). Breadth-first heuristic search. Artificial Intelligence. https://doi.org/10.1016/j.artint.2005.12.002
70. Frei, C., Faltings, B., & Hamdi, M. (2005). Resource allocation in communication networks using abstraction and constraint satisfaction. IEEE Journal on Selected Areas in Communications. https://doi.org/10.1109/jsac.2004.839377
71. Bartak, R. (2005). Constraint Satisfaction for Planning and Scheduling. Intelligent Techniques for Planning. https://doi.org/10.4018/978-1-59140-450-7.ch010
72. Neumaier, A. (2004). Complete search in continuous global optimization and constraint satisfaction. Acta Numerica 2004. https://doi.org/10.1017/cbo9780511569975.004
73. Sahinidis, N. V. (2003). Global Optimization and Constraint Satisfaction: The Branch-and-Reduce Approach. Lecture Notes in Computer Science Global Optimization and Constraint Satisfaction. https://doi.org/10.1007/978-3-540-39901-8_1
74. Larrosa, J., & Dechter, R. (2003). Boosting Search with Variable Elimination in Constraint Optimization and Constraint Satisfaction Problems. Constraints. https://doi.org/10.1023/a:1025627211942
75. Kearfott, R. B. (2003). COCOS'02 - A Workshop on Global Constrained Optimization and Constraint Satisfaction October 2–4, 2002, Sophia-Antipolis, France. Reliable Computing. https://doi.org/10.1023/a:1023014011858

76. Shcherbina, O., Neumaier, A., Sam-Haroud, D., Vu, X., & Nguyen, T. (2003). Benchmarking Global Optimization and Constraint Satisfaction Codes. Lecture Notes in Computer Science Global Optimization and Constraint Satisfaction. https://doi.org/10.1007/978-3-540-39901-8_16
77. Modi, P. J., Jung, H., Tambe, M., Shen, W., & Kulkarni, S. (2002). Dynamic Distributed Resource Allocation: A Distributed Constraint Satisfaction Approach. Lecture Notes in Computer Science Intelligent Agents VIII. https://doi.org/10.1007/3-540-45448-9_19
78. Tounsi, M., & David, P. (2002). Successive search method for solving valued constraint satisfaction and optimization problems. International Journal on Artificial Intelligence Tools. https://doi.org/10.1142/s0218213002000964
79. Torre, P. d. l., & Kruskal, C. P. (2001). Polynomially Improved Efficiency for Fast Parallel Single-Source Lexicographic Depth-First Search, Breadth-First Search, and Topological-First Search. Theory of Computing Systems. https://doi.org/10.1007/s00224-001-1008-4
80. Murtagh, T. P. (2001). Teacing breadth-first depth-first. ACM SIGCSE Bulletin. https://doi.org/10.1145/507758.377462
81. Katoh, N. (2001). Combinatorial Optimization Algorithms in Resource Allocation Problems. Encyclopedia of Optimization. https://doi.org/10.1007/0-306-48332-7_56
82. Reinefeld, A. (2001). Asynchronous distributed optimization algorithms; Automatic differentiation: Parallel computation; Interval analysis: Parallel methods for global optimization; Load balancing for parallel optimization techniques; Parallel computing: Complexity classes; Parallel computing: Models; Parallel heuristic search; Stochastic network problems: Massively parallel solution HEURISTIC SEARCH. Encyclopedia of Optimization. https://doi.org/10.1007/0-306-48332-7_194
83. Kokkonen, M., & Kalliojarvi, K. (2000). Soft-decision decoding of binary linear block codes using reduced breadth-first search algorithms. IEEE Transactions on Communications. https://doi.org/10.1109/26.848545
84. Toulouse, M., Crainic, T. G., & Thulasiraman, K. (2000). Global optimization properties of parallel cooperative search algorithms: A simulation study. Parallel Computing. https://doi.org/10.1016/s0167-8191(99)00097-6
85. Frei, C., & Faltings, B. (1999). Resource Allocation in Networks Using Abstraction and Constraint Satisfaction Techniques. Lecture Notes in Computer Science Principles and Practice of Constraint Programming – CP'99. https://doi.org/10.1007/978-3-540-48085-3_15
86. Nagai, A. (1999). A New Depth-First-Search Algorithm for and/or Trees. ICGA Journal. https://doi.org/10.3233/icg-1999-22106
87. Nazareth, T., Verma, S., Bhattacharya, S., & Bagchi, A. (1999). The multiple resource constrained project scheduling problem: A breadth-first approach. European Journal of Operational Research. https://doi.org/10.1016/s0377-2217(97)00402-5
88. Baar, T., Brucker, P., & Knust, S. (1999). Tabu Search Algorithms and Lower Bounds for the Resource-Constrained Project Scheduling Problem. Meta-Heuristics: Advances and Trends in Local Search Paradigms for Optimization. https://doi.org/10.1007/978-1-4615-5775-3_1
89. Dixon, C. (1998). Temporal resolution using a breadth-first search algorithm. Annals of Mathematics and Artificial Intelligence. https://doi.org/10.1023/a:1018942108420

90. Makki, S. (1996). Efficient distributed breadth-first search algorithm. Computer Communications. https://doi.org/10.1016/s0140-3664(96)01094-8
91. King, D. J., & Launchbury, J. (1995). Structuring depth-first search algorithms in Haskell. Proceedings of the 22nd ACM SIGPLAN-SIGACT symposium on Principles of programming languages - POPL '95. https://doi.org/10.1145/199448.199530
92. Yamamoto, K. (1995). Optimization approaches to constraint satisfaction problems in computer vision. Image and Vision Computing. https://doi.org/10.1016/0262-8856(95)99720-l
93. Grama, A., & Kumar, V. (1995). Parallel Search Algorithms for Discrete Optimization Problems. ORSA Journal on Computing. https://doi.org/10.1287/ijoc.7.4.365
94. Rhee, C., Liang, Y., Dhall, S., & Lakshmivarahan, S. (1994). Efficient algorithms for finding depth-first and breadth-first search trees in permutation graphs. Information Processing Letters. https://doi.org/10.1016/0020-0190(94)90053-1
95. Hoeken, H., Mom, M., & Maes, F. (1994). Translating hierarchical instructions into linear text: depth-first versus breadth-first approaches. Quality of technical documentation. https://doi.org/10.1163/9789004484511_010
96. Powley, C., Ferguson, C., & Korf, R. E. (1993). Depth-first heuristic search on a SIMD machine. Artificial Intelligence. https://doi.org/10.1016/0004-3702(93)90002-s
97. Kozen, D. C. (1992). Depth-First and Breadth-First Search. The Design and Analysis of Algorithms. https://doi.org/10.1007/978-1-4612-4400-4_4
98. Sharma, M. B., Mandyam, N. K., & Iyangar, S. S. (1989). An optimal distributed depth-first-search algorithm. Proceedings of the seventeenth annual ACM conference on Computer science: Computing trends in the 1990's Computing trends in the 1990's - CSC '89. https://doi.org/10.1145/75427.75463
99. Chu, W. W., & Ngai, P. (1988). A dynamic constraint-directed ordered search algorithm for solving constraint satisfaction problems. Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - IEA/AIE '88. https://doi.org/10.1145/51909.52120
100. Cidon, I. (1988). Yet another distributed depth-first-search algorithm. Information Processing Letters. https://doi.org/10.1016/0020-0190(88)90187-1
101. Zhu, Y., & Cheung, T. (1987). A new distributed breadth-first-search algorithm. Information Processing Letters. https://doi.org/10.1016/0020-0190(87)90208-0
102. Tarjan, R. E. (1986). Two Streamlined Depth-First Search Algorithms. Fundamenta Informaticae. https://doi.org/10.3233/fi-1986-9105
103. Awerbuch, B. (1985). A new distributed Depth-First-Search algorithm. Information Processing Letters. https://doi.org/10.1016/0020-0190(85)90083-3
104. Ghosh, R. K., & Bhattacharjee, G. (1984). Parallel breadth-first search algorithms for trees and graphs. International Journal of Computer Mathematics. https://doi.org/10.1080/00207168408803413
105. Vinothsaravanan, R., & Palanisamy, C. (2018). XML Keyword Search Using Breadth-First Search. Journal of Computational and Theoretical Nanoscience. https://doi.org/10.1166/jctn.2018.7342
106. Zhang, G., Cheng, S., Shu, J., Hu, Q., & Zheng, W. (2018). Accelerating breadth-first graph search on a single server by dynamic edge trimming. Journal of Parallel and Distributed Computing. https://doi.org/10.1016/j.jpdc.2017.09.007

107. Girish, H., & Shashikumar, D. R. (2018). SOPA: Search Optimization Based Predictive Approach for Design Optimization in FinFET/SRAM. Advances in Intelligent Systems and Computing Artificial Intelligence and Algorithms in Intelligent Systems. https://doi.org/10.1007/978-3-319-91189-2_3
108. Reddy, C. V., & Padmaja, K. V. (2018). Relaxed Greedy-Based Approach for Enhancing of Resource Allocation for Future Cellular Network. Advances in Intelligent Systems and Computing Cybernetics and Algorithms in Intelligent Systems. https://doi.org/10.1007/978-3-319-91192-2_36
109. Matošević, G. (2018). Text Summarization Techniques for Meta Description Generation in Process of Search Engine Optimization. Advances in Intelligent Systems and Computing Artificial Intelligence and Algorithms in Intelligent Systems. https://doi.org/10.1007/978-3-319-91189-2_17
110. Bala, I., & Yadav, A. (2018). Gravitational Search Algorithm: A State-of-the-Art Review. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_3
111. Mahendru, S., & Agarwal, S. (2018). Feature Selection Using Metaheuristic Algorithms on Medical Datasets. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_87
112. Agrawal, A., & Tripathi, S. (2018). Particle Swarm Optimization with Probabilistic Inertia Weight. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_24
113. Riahi, S., & Riahi, A. (2018). Optimal resource allocation in wireless systems under quality of service constraint. Proceedings of the 12th International Conference on Intelligent Systems: Theories and Applications. https://doi.org/10.1145/3289402.3289542
114. Bansal, P., & Shahid, M. H. (2018). Optimization Approach for Bounds Involving Generalized Normalized $$\delta $$ -Casorati Curvatures. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_23
115. Mohapatra, P., Das, K. N., & Roy, S. (2018). Inherited Competitive Swarm Optimizer for Large-Scale Optimization Problems. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_9
116. Chourasia, S., Sharma, H., Singh, M., & Bansal, J. C. (2018). Global and Local Neighborhood Based Particle Swarm Optimization. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_44
117. Rathee, N., Chillar, R. S., Vij, S., & Kukreja, S. (2018). Automatic Optimization of Test Path Using Firefly Algorithm. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_69
118. Chiu, C., & Lin, J. T. (2018). A novel optimal replication allocation strategy for particle swarm optimization algorithms applied to simulation optimization problem. Applied Soft Computing. https://doi.org/10.1016/j.asoc.2018.07.017

119. Adamuthe, A. C., & Nitave, T. R. (2018). Adaptive harmony search for optimizing constrained resource allocation problem. International Journal of Computing. https://doi.org/10.47839/ijc.17.4.1148
120. Dixit, A., Mishra, A., & Shukla, A. (2018). Vehicle Routing Problem with Time Windows Using Meta-Heuristic Algorithms: A Survey. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_52
121. Kondabala, R., & Kumar, V. (2018). Computational Intelligence Tools for Protein Modeling. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_89
122. Xia, W., & Shen, L. (2018). Joint resource allocation using evolutionary algorithms in heterogeneous mobile cloud computing networks. China Communications. https://doi.org/10.1109/cc.2018.8438283
123. Peng, Z., Lu, Y., Cheng, Z., & Du, Y. (2018). A Low Communication Overhead Breadth-First Search Based on Global Bitmap. Lecture Notes in Computer Science Algorithms and Architectures for Parallel Processing. https://doi.org/10.1007/978-3-030-05054-2_9
124. Bal, R., Bakshi, A., & Gupta, S. (2018). Performance Evaluation of Optimization Techniques with Vector Quantization Used for Image Compression. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_83
125. Sethi, N., Singh, S., & Singh, G. (2018). Improved Mutation-Based Particle Swarm Optimization for Load Balancing in Cloud Data Centers. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_88
126. Praneeth, P., Vasan, A., & Raju, K. S. (2018). Pipe Size Design Optimization of Water Distribution Networks Using Water Cycle Algorithm. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_99
127. Gupta, S. L., Baghel, A. S., & Iqbal, A. (2018). Big Data Classification Using Scale-Free Binary Particle Swarm Optimization. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_109
128. Yin, Q., & Wang, C. (2018). A New Chaotic Image Encryption Scheme Using Breadth-First Search and Dynamic Diffusion. International Journal of Bifurcation and Chaos. https://doi.org/10.1142/s0218127418500475
129. Syuhada, M. Y. (2018). Perbandingan Algoritma Greedy Search dan Algoritma Depth-First-Search pada Pencarian Kota dengan Graph Romania Problem. Journal of informatics and telecommunication engineering. https://doi.org/10.31289/jite.v1i2.1405
130. Venkatesh, P., Srivastava, G., & Singh, A. (2018). A Multi-start Iterated Local Search Algorithm with Variable Degree of Perturbation for the Covering Salesman Problem. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_28
131. Suzuki, T. (2018). Non-depth-first search against independent distributions on an AND–OR tree. Information Processing Letters. https://doi.org/10.1016/j.ipl.2018.06.013

132. Menghan, Z. (2018). A Review of Classical First Order Optimization Methods in Machine Learning. Advances in Intelligent Systems and Computing Recent Developments in Mechatronics and Intelligent Robotics. https://doi.org/10.1007/978-3-030-00214-5_145
133. Toporkov, V., & Yemelyanov, D. (2018). Resources Co-Allocation Optimization Algorithms for Distributed Computing Environments. Proceedings of the 47th International Conference on Parallel Processing Companion. https://doi.org/10.1145/3229710.3229754
134. Mishra, D. B., Mishra, R., Acharya, A. A., & Das, K. N. (2018). Test Case Optimization and Prioritization Based on Multi-objective Genetic Algorithm. Advances in Intelligent Systems and Computing Harmony Search and Nature Inspired Optimization Algorithms. https://doi.org/10.1007/978-981-13-0761-4_36
135. Chen, Z., He, Z., & He, C. (2017). An improved DPOP algorithm based on breadth first search pseudo-tree for distributed constraint optimization. Applied Intelligence. https://doi.org/10.1007/s10489-017-0905-4
136. Ratnadewi, R., & Rahim, R. (2017). Crossing Rivers Problem Solution with Breadth-First Search Approach. https://doi.org/10.31227/osf.io/b7h4a
137. Liu, X., Zhang, X., Li, W., & Zhang, X. (2017). Swarm optimization algorithms applied to multi-resource fair allocation in heterogeneous cloud computing systems. Computing. https://doi.org/10.1007/s00607-017-0561-x
138. Naumov, M., Vrielink, A., & Garland, M. (2017). Parallel Depth-First Search for Directed Acyclic Graphs. Proceedings of the Seventh Workshop on Irregular Applications: Architectures and Algorithms. https://doi.org/10.1145/3149704.3149764
139. Jamal, A. A., & Teahan, W. J. (2017). Alpha Multipliers Breadth-First Search Technique for Resource Discovery in Unstructured Peer-to-Peer Networks. International Journal on Advanced Science, Engineering and Information Technology. https://doi.org/10.18517/ijaseit.7.4.1451
140. Shen, Y. (2017). Analysis of Six Degrees of Separation in Baidu Encyclopedia Using Breadth-First Search. Computer Science and Artificial Intelligence. https://doi.org/10.1142/9789813220294_0113
141. Henzinger, M., Krinninger, S., & Nanongkai, D. (2017). Sublinear-Time Maintenance of Breadth-First Spanning Trees in Partially Dynamic Networks. ACM Transactions on Algorithms. https://doi.org/10.1145/3146550
142. Suh, S., & Barry, J. R. (2017). Reduced-Complexity MIMO Detection via a Slicing Breadth-First Tree Search. IEEE Transactions on Wireless Communications. https://doi.org/10.1109/twc.2017.2654344
143. Tao, J., Zhao, Q., Cao, P., Wang, Z., & Zhang, Y. (2017). APK-DFS: An Automatic Interaction System Based on Depth-First-Search for APK. Lecture Notes in Computer Science Algorithms and Architectures for Parallel Processing. https://doi.org/10.1007/978-3-319-65482-9_29
144. Chen, Z., He, C., He, Z., & Chen, M. (2017). BD-ADOPT: a hybrid DCOP algorithm with best-first and depth-first search strategies. Artificial Intelligence Review. https://doi.org/10.1007/s10462-017-9540-z
145. Ueno, K., Suzumura, T., Maruyama, N., Fujisawa, K., & Matsuoka, S. (2017). Efficient Breadth-First Search on Massively Parallel and Distributed-Memory Machines. Data Science and Engineering. https://doi.org/10.1007/s41019-016-0024-y

146. Wang, X., Yalaoui, F., & Dugardin, F. (2017). Non-dominated Sorting Genetic Algorithms for a Multi-objective Resource Constraint Project Scheduling Problem. Journal of Intelligent Systems. https://doi.org/10.1515/jisys-2017-0241
147. Bouhmala, N., Helgen, H. S., & Mathisen, K. M. (2017). A Multilevel Genetic Algorithm for the Maximum Constraint Satisfaction Problem. Advances in Intelligent Systems and Computing Recent Advances in Soft Computing. https://doi.org/10.1007/978-3-319-58088-3_1
148. Malik, S., Saini, P., & Rani, S. (2017). Energy Efficient Resource Allocation for Heterogeneous Workload in Cloud Computing. Advances in Intelligent Systems and Computing Proceedings of the 5th International Conference on Frontiers in Intelligent Computing: Theory and Applications. https://doi.org/10.1007/978-981-10-3153-3_9
149. Jiang, X., Zhao, Y., Xu, R., & Xu, W. (2017). An Action-Based Constraint Satisfaction Algorithm for Planning Problems. Advances in Intelligent Systems and Computing Recent Developments in Mechatronics and Intelligent Robotics. https://doi.org/10.1007/978-3-319-70990-1_61
150. Kamel, M. A., Abido, M. A., & Elshafei, M. (2017). Quad-Rotor Directional Steering System Controller Design Using Gravitational Search Optimization. Intelligent Automation & Soft Computing. https://doi.org/10.1080/10798587.2017.1342414
151. He, Z., & Chen, Z. (2016). BFSDPOP: DPOP Based on Breadth First Search Pseudo-Tree for Distributed Constraint Optimization. Computer Science and Technology. https://doi.org/10.1142/9789813146426_0092
152. Rakhee, & Srinivas, M. (2016). Cluster Based Energy Efficient Routing Protocol Using ANT Colony Optimization and Breadth First Search. Procedia Computer Science. https://doi.org/10.1016/j.procs.2016.06.019
153. Ahmed, S. S., Rao, B. P. C., & Jayakumar, T. (2016). Greedy breadth-first-search based chain classification for nondestructive sizing of subsurface defects. Applied Soft Computing. https://doi.org/10.1016/j.asoc.2015.11.032
154. Chen, Q., Lan, C., Li, J., Chen, B., Wang, L., & Zhang, C. (2016). Depth-First Search Encoding of RNA Substructures. Lecture Notes in Computer Science Intelligent Computing Theories and Application. https://doi.org/10.1007/978-3-319-42291-6_32
155. Lu, W. (2016). Breadth-First Search and Its Implementation with Lego Mindstorms. Beginning Robotics Programming in Java with LEGO Mindstorms. https://doi.org/10.1007/978-1-4842-2005-4_6
156. Ahmed, K. S., & Odejobi, O. D. (2018b). Resource allocation model for energy-efficient virtual machine placement in data centers. IRE Journals, 2(3), 1-10.
157. B, M.L., & C, S.B. (2016). Systematic Literature Review on Resource Allocation and Resource Scheduling in Cloud Computing. International Journal of Advanced Information Technology, 6(4), 01-15. https://doi.org/10.5121/ijait.2016.6401
158. Kothari, A., Padia, N., & Parekh, M. (2013). Real Time Resource Allocation Methodology and Quality based Framework in Cloud Computing. International Journal of Computer Applications, 62(11), 31-34. https://doi.org/10.5120/10126-4895
159. Naphade, K.S., David Wu, S., & Storer, R.H. (1997). Problem space search algorithms for resource-constrained project scheduling. Annals of Operations Research, 70(0), 307-326. https://doi.org/10.1023/a:1018982423325

160. Haghparast-Bidgoli, H., Kiadaliri, A., & Skordis-Worrall, J. (2014). Do economic evaluation studies inform effective healthcare resource allocation in Iran? A critical review of the literature. Cost Effectiveness and Resource Allocation, 12(1), 15. https://doi.org/10.1186/1478-7547-12-15
161. Vakilinia, S., Heidarpour, B., & Cheriet, M. (2016). Energy Efficient Resource Allocation in Cloud Computing Environments. IEEE Access, 4, 8544-8557. https://doi.org/10.1109/access.2016.2633558
162. S.Brahmkshatriya, S., & Prajapati, J. (2015). A Review on Techniques of Resource Allocation in Cloud Computing. International Journal of Computer Applications, 110(4), 13-15. https://doi.org/10.5120/19304-0753
163. Randall, M., & Lewis, A. (2002). A Parallel Implementation of Ant Colony Optimization. Journal of Parallel and Distributed Computing, 62(9), 1421-1432. https://doi.org/10.1006/jpdc.2002.1854
164. Saraswathi, A.T., Kalaashri, Y.R.A., & Padmavathi, S. (2015). Dynamic Resource Allocation Scheme in Cloud Computing. Procedia Computer Science, 47, 30-36. https://doi.org/10.1016/j.procs.2015.03.180
165. Bergmo, T.S. (2009). Can economic evaluation in telemedicine be trusted? A systematic review of the literature. Cost Effectiveness and Resource Allocation, 7(1), 18. https://doi.org/10.1186/1478-7547-7-18
166. Zhaofeng, Y., & Aiwan, F. (2016). Ant colony Algorithm based on Three Constraint Conditions for Cloud Resource Scheduling. International Journal of Grid and Distributed Computing, 9(7), 189-200. https://doi.org/10.14257/ijgdc.2016.9.7.20
167. Khoshroo, S., Wang, H., Xing, L., & Kasilingam, D. (2013). A joint resource allocation-channel coding design based on distributed source coding. Wireless Communications and Mobile Computing, n/a-n/a. https://doi.org/10.1002/wcm.2349
168. Wang, X., Wang, X., Che, H., Li, K., Huang, M., & Gao, C. (2015). An Intelligent Economic Approach for Dynamic Resource Allocation in Cloud Services. IEEE Transactions on Cloud Computing, 3(3), 275-289. https://doi.org/10.1109/tcc.2015.2415776
169. Amarasinghe, A.K. (2010). Cost-effectiveness implications of GP intervention to promote physical activity: evidence from Perth, Australia. Cost Effectiveness and Resource Allocation, 8(1), 10. https://doi.org/10.1186/1478-7547-8-10
170. Shue, L.Y., & Zamani, R. (1999). An intelligent search method for project scheduling problems. Journal of Intelligent Manufacturing, 10(3-4), 279-288. https://doi.org/10.1023/a:1008952024958
171. Lu, D., Ma, J., & Xi, N. (2015). A universal fairness evaluation framework for resource allocation in cloud computing. China Communications, 12(5), 113-122. https://doi.org/10.1109/cc.2015.7112034
172. Watson, J.P., Rana, S., Whitley, L.D., & Howe, A.E. (1999). The impact of approximate evaluation on the performance of search algorithms for warehouse scheduling. Journal of Scheduling, 2(2), 79-98. https://doi.org/10.1002/(sici)1099-1425(199903/04)2:2<79::aid-jos19>3.3.co;2-8
173. Lin, W., Wang, J.Z., Liang, C., & Qi, D. (2011). A Threshold-based Dynamic Resource Allocation Scheme for Cloud Computing. Procedia Engineering, 23, 695-703. https://doi.org/10.1016/j.proeng.2011.11.2568

174. Zhang, H.T. (2015). The Proof of Quantum Search Algorithm Optimization and the Simulation of the Algorithm Implementation. Communications, 3(2), 42. https://doi.org/10.11648/j.com.20150302.13
175. Guo, L., Zhang, Y., & Zhao, S. (2017). Heuristic Algorithms for Energy and Performance Dynamic Optimization in Cloud Computing. Computing and Informatics, 36(6), 1335-1360. https://doi.org/10.4149/cai_2017_6_1335
176. McKendall, A.R., & Jaramillo, J.R. (2006). A tabu search heuristic for the dynamic space allocation problem. Computers & Operations Research, 33(3), 768-789. https://doi.org/10.1016/j.cor.2004.08.007
177. Huang, M.G., & Ou, Z.Q. (2014). Review of Task Scheduling Algorithm Research in Cloud Computing. Advanced Materials Research, 926-930, 3236-3239. https://doi.org/10.4028/www.scientific.net/amr.926-930.3236
178. Israil, S., Pandey, R., & Chourasia, U. (2015). Dynamic Resource Allocation for Overload Avoidance and Green Cloud Computing. International Journal of Computer Applications, 126(12), 6-13. https://doi.org/10.5120/ijca2015906234
179. Malekloo, M.H., Kara, N., & El Barachi, M. (2018). An energy efficient and SLA compliant approach for resource allocation and consolidation in cloud computing environments. Sustainable Computing: Informatics and Systems, 17, 9-24. https://doi.org/10.1016/j.suscom.2018.02.001
180. Akhter, N., & Othman, M. (2016). Energy aware resource allocation of cloud data center: review and open issues. Cluster Computing, 19(3), 1163-1182. https://doi.org/10.1007/s10586-016-0579-4
181. Raftopoulou, P., Koubarakis, M., Stergiou, K., & Triantafillou, P. (2005). Fair resource allocation in a simple multi-agent setting: search algorithms and experimental evaluation. International Journal on Artificial Intelligence Tools, 14(06), 887-899. https://doi.org/10.1142/s0218213005002454
182. Chaturvedi, A., Sengar, P., & Sharma, K. (2018). Proposing Priority based Dynamic Resource Allocation [PDRA] Model in Cloud Computing. International Journal of Computer Applications, 182(4), 17-22. https://doi.org/10.5120/ijca2018917508
183. Mohammadi, M., & Rahmani, A.M. (2017). De-centralised dynamic task scheduling using hill climbing algorithm in cloud computing environments. International Journal of Cloud Computing, 6(1), 79. https://doi.org/10.1504/ijcc.2017.083914
184. Khan Mashwani, W., & Salhi, A. (2012). A decomposition-based hybrid multiobjective evolutionary algorithm with dynamic resource allocation. Applied Soft Computing, 12(9), 2765-2780. https://doi.org/10.1016/j.asoc.2012.03.067
185. Wolpert, D., Tumer, K., & Bandari, E. (2004). Improving search algorithms by using intelligent coordinates. Physical Review E, 69(1). https://doi.org/10.1103/physreve.69.017701
186. Morshedlou, H., & Meybodi, M.R. (2014). Decreasing Impact of SLA Violations:A Proactive Resource Allocation Approachfor Cloud Computing Environments. IEEE Transactions on Cloud Computing, 2(2), 156-167. https://doi.org/10.1109/tcc.2014.2305151
187. Chen, X., Zhang, J., Li, J., & Li, X. (2013). Resource virtualization methodology for on-demand allocation in cloud computing systems. Service Oriented Computing and Applications, 7(2), 77-100. https://doi.org/10.1007/s11761-011-0092-9

188. Yassa, S., Chelouah, R., Kadima, H., & Granado, B. (2013). Multi-Objective Approach for Energy-Aware Workflow Scheduling in Cloud Computing Environments. The Scientific World Journal, 2013(1). https://doi.org/10.1155/2013/350934

189. Truong Huu, T., Koslovski, G., Anhalt, F., Montagnat, J., & Vicat-Blanc Primet, P. (2011). Joint Elastic Cloud and Virtual Network Framework for Application Performance-cost Optimization. Journal of Grid Computing, 9(1), 27-47. https://doi.org/10.1007/s10723-010-9168-6

190. Mohd Zain, M.Z.b., Kanesan, J., Chuah, J.H., Dhanapal, S., & Kendall, G. (2018). A multi-objective particle swarm optimization algorithm based on dynamic boundary search for constrained optimization. Applied Soft Computing, 70, 680-700. https://doi.org/10.1016/j.asoc.2018.06.022

191. Jahangirian, M., & Conroy, G.V. (2000). Intelligent dynamic scheduling system: the application of genetic algorithms. Integrated Manufacturing Systems, 11(4), 247-257. https://doi.org/10.1108/09576060010326375

192. Rajak, N., Dixit, A., & Rajak, R. (2014). Classification of List Task Scheduling Algorithms: A Short Review Paper. Journal of Industrial and Intelligent Information, 2(4). https://doi.org/10.12720/jiii.2.4.320-323

193. Kuznetsov, N.A., Minashina, I.K., Ryabykh, N.G., Zakharova, E.M., & Pashchenko, F.F. (2016). Design and Comparison of Freight Scheduling Algorithms for Intelligent Control Systems. Procedia Computer Science, 98, 56-63. https://doi.org/10.1016/j.procs.2016.09.011

194. H Mohammed, M., & Baothman, F. (2015). Intelligent Workload Management of Computing Resource Allocation For Mobile Cloud Computing. International Journal of Computer & Organization Trends, 19(1), 8-19. https://doi.org/10.14445/22492593/ijcot-v19p302

195. Topcuoglu, H.R., Ucar, A., & Altin, L. (2014). A hyper-heuristic based framework for dynamic optimization problems. Applied Soft Computing, 19, 236-251. https://doi.org/10.1016/j.asoc.2014.01.037

196. Rensi, G., & Hrubes, R.J. (1983). Implications of Goal Programming in Forest Resource Allocation: A Rejoinder. Forest Science, 29(4), 841-842. https://doi.org/10.1093/forestscience/29.4.841

197. Wu, H., Pang, G.K.H., Choy, K.L., & Lam, H.Y. (2018). Dynamic resource allocation for parking lot electric vehicle recharging using heuristic fuzzy particle swarm optimization algorithm. Applied Soft Computing, 71, 538-552. https://doi.org/10.1016/j.asoc.2018.07.008

198. Marchetti, A., & Stern, I. (2018). Resource Allocation Solutions for Star Inventors and Their Turnover Implications. Academy of Management Proceedings, 2018(1), 10920. https://doi.org/10.5465/ambpp.2018.10920abstract

199. Makai, P., Koopmanschap, M., Bal, R., & Nieboer, A.P. (2010). Cost-effectiveness of a pressure ulcer quality collaborative. Cost Effectiveness and Resource Allocation, 8(1), 11. https://doi.org/10.1186/1478-7547-8-11

200. Yang, C.T., Lin, C.H., Yang, M.F., & Chiang, W.C. (2010). A heuristic QoS measurement with domain-based network information model for grid computing environments. International Journal of Ad Hoc and Ubiquitous Computing, 5(4), 235. https://doi.org/10.1504/ijahuc.2010.032998

201. Garg, D., & Singh, P. (2014). Dynamic task allocation in distributed computing systems by heuristic algorithms. International Journal of Operational Research, 21(4), 391. https://doi.org/10.1504/ijor.2014.065610
202. Morad, N., & Zalzala, A. (1999). Genetic algorithms in integrated process planning and scheduling. Journal of Intelligent Manufacturing, 10(2), 169-179. https://doi.org/10.1023/a:1008976720878
203. Alnajdi, S., Dogan, M., & Al-Qahtani, E. (2016). A Survey on Resource Allocation in Cloud Computing. International Journal on Cloud Computing: Services and Architecture, 6(5), 1-11. https://doi.org/10.5121/ijccsa.2016.6501
204. Atta, S., Asomani, E., & Adenuga, O. M. (2018). A systematic review of green corrosion inhibitors from agricultural extracts for mild steel protection in acidic and alkaline media. International Journal of Engineering and Modern Technology, 4(1).
205. Yuan, Z., & Liu, X. (2016). A Survey of Data Security and Privacy Protection in Cloud Computing. Proceedings of the 2016 4th International Conference on Management, Education, Information and Control. https://doi.org/10.2991/meici-16.2016.135
206. Joyce, G., Lilley, M., Barker, T., & Jefferies, A. (2018). Heuristic Evaluation for Mobile Applications: Extending a Map of the Literature. Advances in Intelligent Systems and Computing Advances in Usability, User Experience and Assistive Technology. https://doi.org/10.1007/978-3-319-94947-5_2
207. Prata, W., Alvão, C. R. M., & Quaresma, M. (2013). Usability Testing of Mobile Applications Store: Purchase, Search and Reviews. Lecture Notes in Computer Science Design, User Experience, and Usability. Web, Mobile, and Product Design. https://doi.org/10.1007/978-3-642-39253-5_80
208. 김인규 (2010). A search-based user interface to improve usability of integrated mobile devices. Journal of Digital Design. https://doi.org/10.17280/jdd.2010.10.3.038
209. Al-Khalifa, H. S., Al-Twaim, B., & AlHarbi, B. (2016). A heuristic checklist for usability evaluation of Saudi government mobile applications. Proceedings of the 18th International Conference on Information Integration and Web-based Applications and Services. https://doi.org/10.1145/3011141.3011189
210. Okonkwo, C. S., Ogunwole, O., & Okeke, O. T. (2018a). Framework for strategic procurement optimization in oil and gas operations. Iconic Research and Engineering Journals, 1(7), 153-168. https://doi.org/10.64388/IREV1I7-1713119
211. Urrutia, J. I. G., Brangier, E., Senderowicz, V., & Cessat, L. (2017). Beyond "Usability and User Experience", Towards an Integrative Heuristic Inspection: From Accessibility to Persuasiveness in the UX Evaluation. Advances in Intelligent Systems and Computing Advances in Usability and User Experience. https://doi.org/10.1007/978-3-319-60492-3_44
212. Odoom, R., Narteh, B., & Rand, J. (2017). Branding and outcomes in small and medium-sized enterprises (SMEs): a resource–capability approach. Journal of Small Business & Entrepreneurship. https://doi.org/10.1080/08276331.2017.1300848
213. Chaffey, D., & Patron, M. (2012). From web analytics to digital marketing optimization: Increasing the commercial value of digital analytics. Journal of Direct, Data and Digital Marketing Practice. https://doi.org/10.1057/dddmp.2012.20
214. Diamond, N. (2007). Higher Education Resource Services (HERS) Alumnae Survey, 1976-2003 [United States]. ICPSR Data Holdings. https://doi.org/10.3886/icpsr21100

215. Nwafor, M. I., Uduokhai, D. O., Ifechukwu, G. O., Stephen, D., & Aransi, A. N. (2018). Impact of climatic variables on the optimization of building envelope design in humid regions. Iconic Research and Engineering Journals, 1(10), 322-335.

216. Bobga, M. A., Boakye, K., Ogbona, C. S., & Yeboah, T. J. (2018). Pedagogical strategies for teaching students with learning difficulties in resource-constrained schools. Iconic Research and Engineering Journals, 2(4), 173-194. https://doi.org/10.64388/IREV2I4-1714176

217. Olaleye, S. A., Oyelere, S. S., Sanusi, I. T., & Agbo, J. F. (2018). Experience of Ubiquitous Computing Technology Driven Mobile Commerce in Africa: Impact of Usability, Privacy, Trust, and Reputation Concern. International Journal of Interactive Mobile Technologies (iJIM). https://doi.org/10.3991/ijim.v12i3.7905

218. Yusuf, H. D., & Abdulrazaq, K. (2018). A conceptual framework for strengthening diagnostic quality systems in resource-limited clinical laboratories. Iconic Research and Engineering Journals, 1(11), 145-179. https://doi.org/10.64388/IREV1I11-1723090

219. Aminu-Ibrahim, A. Y., Ogbete, J. C., & Ambali, K. B. (2018). Developing sustainable diagnostic laboratory infrastructure models for emerging and resource constrained health systems. Iconic Research and Engineering Journals, 1(8), 118-132. https://doi.org/10.64388/IREV1I8-1713586

220. Uchechi, N., Ominyi, M., & Jones, B. C. (2018). Procedural standardization and workflow optimization in high-volume dispute resolution clinics: A systematic review. Iconic Research and Engineering Journals, 2(6). https://doi.org/10.64388/IREV2I6-1722789

221. Mukred, M., & Yusof, Z. M. (2017). The DeLone–McLean Information System Success Model for Electronic Records Management System Adoption in Higher Professional Education Institutions of Yemen. Lecture Notes on Data Engineering and Communications Technologies Recent Trends in Information and Communication Technology. https://doi.org/10.1007/978-3-319-59427-9_84

222. Ngoepe, M., Mokoena, L., & Ngulube, P. (2011). Security, privacy and ethics in electronic records management in the South African public sector. ESARBICA Journal: Journal of the Eastern and Southern Africa Regional Branch of the International Council on Archives. https://doi.org/10.4314/esarjo.v29i1.64289

223. Jeong, W., & Rieh, H. (2016). Users' Evaluation of Information Services in University Archives. Journal of Records Management & Archives Society of Korea. https://doi.org/10.14404/jksarm.2016.16.1.195

224. Hanada, S. (2013). Japan's higher education incorporation policy: a comparative analysis of three stages of national university governance. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2013.825414

225. Yoo, H., & Shon, T. (2013). Research on Advanced Electronic Records Management Technology Using Digital Forensics. Journal of the Korea Institute of Information Security and Cryptology. https://doi.org/10.13089/jkiisc.2013.23.2.273

226. Gunnlaugsdottir, J. (2009). Electronic records management systems: The human factor. Proceedings of the 11th International Conference on Enterprise Information. https://doi.org/10.5220/0002000600970104

227. Gunnlaugsdottir, J. (2008). Registering and searching for records in electronic records management systems. International Journal of Information Management. https://doi.org/10.1016/j.ijinfomgt.2008.01.013

228. Dilnutt, R., & Blennerhassett, H. (2007). How the Convergence of Integrated Information and Records Management Systems Contributes to Operational Efficiency in Higher Education. The International Journal of Knowledge, Culture, and Change Management: Annual Review. https://doi.org/10.18848/1447-9524/cgp/v07i06/50380
229. Procter, M. (2002). One size does not fit all: developing records management in higher education. Records Management Journal. https://doi.org/10.1108/09565690210442917
230. Ritvo, D. (2016). Privacy and Student Data: An Overview of Federal Laws Impacting Student Information Collected Through Networked Technologies. https://doi.org/10.2139/ssrn.2802317
231. Eyadat, M. S. (2015). Information Security: SETA Program Status at Jordanian Universities. Journal of Information Privacy and Security. https://doi.org/10.1080/15536548.2015.1073535
232. Kam, H., & Katerattanakul, P. (2014). Information Security in Higher Education: A Neo-Institutional Perspective. Journal of Information Privacy and Security. https://doi.org/10.1080/15536548.2014.912482
233. Gibbs, P. (2014). Privacy, Analytics and Marketing Higher Education. Using Data to Improve Higher Education. https://doi.org/10.1007/978-94-6209-794-0_13
234. Stamatiou, Y. C. (2014). Privacy Respecting ICT Innovations in Education: Electronic Course Evaluations in Higher Education and Beyond. IFIP Advances in Information and Communication Technology Privacy and Identity Management for Emerging Services and Technologies. https://doi.org/10.1007/978-3-642-55137-6_5
235. Cheung, S. K. S. (2014). Information Security Management for Higher Education Institutions. Advances in Intelligent Systems and Computing Intelligent Data analysis and its Applications, Volume I. https://doi.org/10.1007/978-3-319-07776-5_2
236. Mukerjee, S. (2012). Student information systems – implementation challenges and the road ahead. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2012.642332
237. Manson, D. (2008). Security, Privacy, and Politics in Higher Education. Computer Security, Privacy and Politics. https://doi.org/10.4018/978-1-59904-804-8.ch014
238. Sullivan, L., & Porter, R. (2006). Implementing student information systems. New Directions for Higher Education. https://doi.org/10.1002/he.238
239. Kouba, K. (2017). Determinants of student participation in higher education governance: the case of student turnout in academic senate elections in Czechia. Higher Education. https://doi.org/10.1007/s10734-017-0194-1
240. Long, K. C. (2017). E-Learning, Information Technology, and Student Success in Higher Education. Oxford Research Encyclopedia of Business and Management. https://doi.org/10.1093/acrefore/9780190224851.013.78
241. Rhoades, G. (2017). Shared Governance, Higher Education Institutions. Encyclopedia of International Higher Education Systems and Institutions. https://doi.org/10.1007/978-94-017-9553-1_554-1
242. Ziderman, A. (2017). Experience with Student Loans, Higher Education. Encyclopedia of International Higher Education Systems and Institutions. https://doi.org/10.1007/978-94-017-9553-1_72-1

243. Barra, C., & Zotti, R. (2017). What we can learn from the use of student data in efficiency analysis within the context of higher education?. Tertiary Education and Management. https://doi.org/10.1080/13583883.2017.1329450
244. Crosling, G. (2017). Student Retention in Higher Education, A Shared Issue. Encyclopedia of International Higher Education Systems and Institutions. https://doi.org/10.1007/978-94-017-9553-1_314-1
245. Hattke, F., & Frost, J. (2017). Governance of Teaching and Learning in Higher Education. Encyclopedia of International Higher Education Systems and Institutions. https://doi.org/10.1007/978-94-017-9553-1_549-1
246. Vinck, D. (2017). Digital Humanities in and for Higher Education. Encyclopedia of International Higher Education Systems and Institutions. https://doi.org/10.1007/978-94-017-9553-1_332-1
247. Silva, M. W. d., & Rossini, A. M. (2016). Corporate Governance Model for a higher education institution in the course of Distance Education. CONTECSI - International Conference on Information Systems and Technology Management Proceedings of the 13th CONTECSI International Conference on Information Systems and Technology Management. https://doi.org/10.5748/9788599693124-13contecsi/ms-4248
248. Freeman, R. (2016). Is student voice necessarily empowering? Problematising student voice as a form of higher education governance. Higher Education Research & Development. https://doi.org/10.1080/07294360.2016.1172764
249. Hutt, E. (2016). A Brief History of the Student Record: A Paper for the Asilomar Conference on Student Data and Records in the Digital Era. https://doi.org/10.18665/sr.283886
250. Macheridis, N. (2016). Governance of higher education – implementation of project governance. Tertiary Education and Management. https://doi.org/10.1080/13583883.2016.1236285
251. Slade, S. (2016). Applications of Student Data in Higher Education: Issues and Ethical Considerations. https://doi.org/10.18665/283891
252. Ognjanovic, I., Gasevic, D., & Dawson, S. (2016). Using institutional data to predict student course selections in higher education. The Internet and Higher Education. https://doi.org/10.1016/j.iheduc.2015.12.002
253. Mok, K. H. (2016). Massifying and internationalising higher education, changing labour markets and social mobility: challenges for education and urban governance. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2016.1174402
254. Levatino, A. (2016). Transnational higher education and international student mobility: determinants and linkage. Higher Education. https://doi.org/10.1007/s10734-016-9985-z
255. Moloi, T. (2016). Governance of risks in South Africa's public higher education institutions (HEIs). Investment Management and Financial Innovations. https://doi.org/10.21511/imfi.13(2-1).2016.09
256. Pfeffer, T., & Stichweh, R. (2015). Systems Theoretical Perspectives on Higher Education Policy and Governance. The Palgrave International Handbook of Higher Education Policy and Governance. https://doi.org/10.1007/978-1-137-45617-5_9

257. Xiao, J., & Wilkins, S. (2015). The effects of lecturer commitment on student perceptions of teaching quality and student satisfaction in Chinese higher education. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2014.992092
258. Han, M., & Noh, Y. (2015). An Analysis of Records Management Courses offered at the Department of Library and Information Science and Publication Trend of Records Management Articles by Library and Information Science Professors. Journal of Records Management & Archives Society of Korea. https://doi.org/10.14404/jksarm.2015.15.4.125
259. Tight, M. (2015). Research on Higher Education Policy and Institutional Management. The Palgrave International Handbook of Higher Education Policy and Governance. https://doi.org/10.1007/978-1-137-45617-5_10
260. Klemenčič, M. (2015). Student Involvement in University Quality Enhancement. The Palgrave International Handbook of Higher Education Policy and Governance. https://doi.org/10.1007/978-1-137-45617-5_28
261. Broucker, B., & Wit, K. D. (2015). New Public Management in Higher Education. The Palgrave International Handbook of Higher Education Policy and Governance. https://doi.org/10.1007/978-1-137-45617-5_4
262. McLaughlin, J. E., McLaughlin, G. W., & McLaughlin, J. (2015). Using composite metrics to measure student diversity in higher education. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2015.1019124
263. Raffe, D. (2015). Higher Education Governance and Institutional Autonomy in the Post-Devolution UK. Higher Education in Scotland and the UK. https://doi.org/10.3366/edinburgh/9781474404587.003.0002
264. Natek, S., & Zwilling, M. (2014). Student data mining solution–knowledge management system related to higher education institutions. Expert Systems with Applications. https://doi.org/10.1016/j.eswa.2014.04.024
265. Reid, N. H. (2014). Personalising library services in higher education: the boutique approach. Archives and Records. https://doi.org/10.1080/23257962.2014.888339
266. Stephenson, M. (2014). Records management and information culture: tackling the people problem. Archives and Records. https://doi.org/10.1080/23257962.2014.942613
267. Williams, J. (2014). Student Feedback on the Experience of Higher Education. Using Data to Improve Higher Education. https://doi.org/10.1007/978-94-6209-794-0_5
268. Johl, C., Solms, V., & Flowerday, S. (2014). Information technology governance in the context of higher education governance in south africa. South African Journal of Higher Education. https://doi.org/10.20853/28-1-328
269. Blair, E., & Noel, K. V. (2014). Improving higher education practice through student evaluation systems: is the student voice being heard?. Assessment & Evaluation in Higher Education. https://doi.org/10.1080/02602938.2013.875984
270. Hyun, M. (2014). A Preliminary Study on the Current Condition of the Transfer of Public Digital Records. Journal of Korean Society of Archives and Records Management. https://doi.org/10.14404/jksarm.2014.14.3.033
271. Owens, T. L., & Knox, D. J. (2014). Unanticipated Data-Driven Innovation in Higher Education Systems. Building a Smarter University. https://doi.org/10.1515/9781438454542-011

272. Maday, C., & Moysan, M. (2014). Records management for scientific data. Archives and Manuscripts. https://doi.org/10.1080/01576895.2014.911686
273. Carey, P. (2013). Student engagement: stakeholder perspectives on course representation in university governance. Studies in Higher Education. https://doi.org/10.1080/03075079.2011.621022
274. Mark, E. (2013). Student satisfaction and the customer focus in higher education. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2012.727703
275. Vilkinas, T., & Peters, M. (2013). Academic governance provided by academic boards within the Australian higher education sector. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2013.825419
276. Igbape, E. M., & Onibere, E. A. (2013). Fuzzy logic modelling of a performance evaluation system for academic programmes in Nigeria higher education. WIT Transactions on Information and Communication Technologies Data Management and Security. https://doi.org/10.2495/data130111
277. Xie, S. L. (2012). Preserving Digital Records: InterPARES Findings and Developments. Financial Analysis and Risk Management. https://doi.org/10.1007/978-3-642-32232-7_8
278. Sampson, D. G., & Zervas, P. (2012). Mobile Learning Management Systems in Higher Education. Higher Education Institutions and Learning Management Systems. https://doi.org/10.4018/978-1-60960-884-2.ch008
279. Bailey, S. (2011). Measuring the impact of records management. Records Management Journal. https://doi.org/10.1108/09565691111125107
280. Hong, T. P. T. (2011). Issues to consider when implementing student-centred learning practices at Asian higher education institutions. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2011.605226
281. Paltridge, T., Mayson, S., & Schapper, J. (2010). The contribution of university accommodation to international student security. Journal of Higher Education Policy and Management. https://doi.org/10.1080/1360080x.2010.491109
282. Brown, G. H. (2010). Sustainability in higher education. Perspectives: Policy and Practice in Higher Education. https://doi.org/10.1080/13603108.2010.522888
283. Katuu, S. (2009). Archives and Records Management Education and Training: what can Africa learn from Europe and North America?. Information Development. https://doi.org/10.1177/0266666909104714
284. Yuen, A., Fox, R., Sun, A., & Deng, L. (2009). Course management systems in higher education: understanding student experiences. Interactive Technology and Smart Education. https://doi.org/10.1108/17415650911005393
285. Markless, S. (2009). A New Conception of Information Literacy for the Digital Environment in Higher Education. Nordic Journal of Information Literacy in Higher Education. https://doi.org/10.15845/noril.v1i1.17
286. Moskal, P., Ellis, T., & Keon, T. (2008). Summary of Assessment in Higher Education and the Management of Student-Learning Data. Academy of Management Learning & Education. https://doi.org/10.5465/amle.2008.32712624

287. Kivistö, J., & Hölttä, S. (2008). Information as a Regulative Element in Higher Education Systems. Tertiary Education and Management. https://doi.org/10.1080/13583880802496813

288. Geraedts, F. (2008). BARM - The Bangladesh Archives and Records Management program for democratic governance. Comma. https://doi.org/10.3828/comma.2008.1.14

289. Coen, M., & Kelly, U. (2007). Information management and governance in UK higher education institutions: bringing IT in from the cold. Perspectives: Policy and Practice in Higher Education. https://doi.org/10.1080/13603100601127915.