Responsible AI Governance and Its Effect on Corporate Accountability and Business Performance

Shakhlo Samanova

Department of General Sciences, Mamun University, Khiva, Uzbekistan
Email ID: shakhlo.s@mamunedu.uz

ABSTRACT

Responsible AI governance, the policies, structures and controls through which organisations ensure that AI systems are fair, transparent, safe and accountable, is often treated as a compliance cost that trades off against performance. This paper models governance as an investment whose return depends on the organisation's AI intensity: governance reduces the rate of AI incidents, which cause losses, and raises corporate accountability, which has value in its own right, while incurring direct costs that rise with intensity of governance. A simulation of 500 firms shows that high-governance firms experience 70% fewer AI incidents than low-governance firms (0.43 versus 1.40 per year) and score twice as high on accountability (0.81 versus 0.41). The net effect on performance depends on AI intensity: among low-AI-intensity firms the governance cost roughly offsets the incident savings and net performance is flat in governance, whereas among high-intensity firms net performance rises with governance throughout the range, with a positive governance–intensity interaction of 0.15. The paper argues that governance should scale with AI intensity, that accountability benefits accrue even where the performance case is neutral, and that the common framing of governance as a brake on performance is wrong for the firms that use AI most. A governance architecture and an evaluation approach are proposed.

Keywords: responsible AI; AI governance; corporate accountability; AI incidents; business performance; risk management

1. Introduction

As AI systems make or inform consequential decisions, organisations face pressure from regulators, customers, employees and investors to govern them responsibly. Responsible AI governance encompasses principles such as fairness, transparency, safety and accountability [1], [2], and the organisational mechanisms that implement them: policies, review boards, impact assessments, monitoring, documentation and redress. A growing body of regulation makes some of these mechanisms mandatory.

Executives often frame governance as a cost that slows deployment and constrains performance. The framing is incomplete. Ungoverned AI systems generate incidents, including discriminatory outcomes, erroneous decisions at scale, privacy breaches and safety failures, that impose direct losses, remediation costs and reputational damage [3]. Governance reduces the

incident rate. It also raises corporate accountability, the demonstrable capacity to answer for decisions, which has value to stakeholders independent of incidents. Whether governance improves or reduces net performance therefore depends on the balance of its costs against the losses it prevents and the accountability it creates, and that balance should depend on how intensively the organisation uses AI.

This paper formalises the balance, examines it in a simulation of firms with varying governance and AI intensity, and derives implications for how governance should be scaled and justified.

2. Background

2.1 Responsible AI principles and mechanisms

Reviews of AI ethics guidelines find convergence on a small set of principles [1], but implementing them requires organisational mechanisms. Documentation practices such as model cards [4], impact assessments, algorithmic audits and monitoring systems translate principles into controls. Corporate governance scholarship situates these within board-level oversight of technology risk, extending the agency logic of monitoring and accountability [6] to decisions delegated to algorithms.

2.2 AI incidents

Incident databases record a rising number of AI failures with material consequences, including biased hiring and credit decisions, erroneous automated enforcement and unsafe system behaviour [3]. Incidents arise from inadequate testing, data problems, misuse and absence of monitoring, each of which governance mechanisms address. The incident rate should therefore fall with governance intensity and rise with AI intensity.

2.3 Accountability

Accountability is the obligation to explain and justify conduct to a forum that can impose consequences [5]. For AI, accountability requires that decisions be attributable, documented and contestable. Governance creates these conditions; its accountability benefit is separate from its incident benefit and is valued by regulators, customers and employees.

2.4 Governance as investment

Risk management theory treats controls as investments whose optimal level equates marginal cost with marginal reduction in expected loss. Applied to AI, the optimal governance level rises with the exposure that AI intensity creates. The simulation below implements this logic.

2.5 Why the trade-off framing persists

The framing of governance as a brake on performance persists for three reasons. Governance costs are visible, budgeted and incurred before deployment, whereas incident losses are probabilistic, occur after deployment and are often attributed to the specific system rather than to the absence of governance. Accountability benefits are diffuse and accrue to the organisation’s standing rather than to any project’s return. And the managers who sponsor AI projects bear the governance cost within their budgets while the organisation as a whole bears incident losses, which creates an incentive to

under-govern. The model below makes the costs and benefits commensurable so that the trade-off can be evaluated rather than assumed.

3. Model

For firm i with governance intensity $G \in [0, 1]$ and AI intensity $I \in [0, 1]$, the annual incident count follows a Poisson distribution with rate $\lambda = 12 \times 0.25\, I\,(1 - 0.8\, G)$, so that incidents rise with AI intensity and governance removes up to 80% of them. Accountability is ACC = 0.3 + 0.6 G + noise. Net performance is

$$Y = 0.5 + 0.4\, I - 0.05 \times \text{incidents} - (0.06\, G + 0.04\, G^2) + 0.1\ \text{ACC} + \varepsilon, \tag{1}$$

combining the gross benefit of AI, the loss per incident, the direct cost of governance (convex) and the value of accountability. Hypotheses: H1, governance reduces incidents; H2, governance raises accountability; H3, the net performance effect of governance is positive and increasing in AI intensity (positive interaction); H4, at low AI intensity the net effect is small or zero.

4. Simulation Design

The harness generates 500 firms with governance and AI intensity uniform on [0, 1], draws incidents, accountability and performance from the model with noise, and estimates a regression of performance on governance, its square, AI intensity and the governance–intensity interaction. Incidents and accountability are compared across governance terciles, and quadratic performance curves are fitted within low- and high-intensity groups. Parameters are design values encoding the hypotheses.

5. Results

5.1 Incidents and accountability

Table 1 reports group comparisons. Low-governance firms (bottom tercile) experience 1.40 incidents per year on average; high-governance firms (top tercile) experience 0.43, a reduction of 70% (H1). Accountability scores are 0.41 and 0.81 respectively (H2). Both effects are large relative to the within-group dispersion.

Table 1: AI incidents and accountability by governance tercile (500 simulated firms)

Governance intensity	Mean AI incidents per year	Mean accountability score
Low (bottom tercile)	1.40	0.41
High (top tercile)	0.43	0.81
Change	−70%	+98%

5.2 Net performance

The regression yields a governance main effect of −0.04, a negligible quadratic term, an AI-intensity effect of 0.24 and a governance–intensity interaction of 0.15 ($R^2 = 0.62$). The negative main effect is the net effect at zero AI intensity, where governance has cost but little to protect; the positive interaction means that each increment of AI intensity raises the return to governance (H3). Figure 1 shows fitted curves by intensity group. Among low-intensity firms, net performance is flat in governance: the incident savings and accountability value roughly offset the cost (H4). Among high-intensity firms, net performance rises with governance across the whole range, by 0.07 index points from zero to full governance.

Table 2: Regression of net performance on governance, AI intensity and their interaction ($R^2 = 0.62$)

Term	Coefficient
Governance intensity	−0.042
Governance squared	0.003
AI intensity	0.241
Governance × AI intensity	0.153



Figure 1: Net business performance against responsible AI governance intensity for low- and high-AI-intensity firms

5.3 Interpretation

The results dissolve the trade-off framing for the firms to which governance matters most. Firms that use AI intensively lose more to incidents, so governance pays for itself in avoided losses and adds accountability value on top. Firms that use AI little face a neutral performance case, but still obtain the accountability benefit, which is valuable where stakeholders demand it. In neither case does

governance reduce performance in the simulation, because the cost function is modest relative to the incident losses it prevents.

6. Implications

6.1 Scale governance with AI intensity

Governance intensity should be set in proportion to AI exposure: the number, scale and consequence of AI-informed decisions. Organisations should map their AI systems, classify them by risk, and apply governance mechanisms in tiers, with the most intensive controls on high-consequence systems. This matches the interaction result and avoids both under-governance of exposed firms and over-governance of lightly exposed ones.

6.2 Value accountability explicitly

Accountability benefits do not appear in incident statistics but affect regulatory standing, customer trust and employee willingness to deploy AI. Boards should treat demonstrable accountability as an asset and governance as its source, and should report on it alongside financial performance.

6.3 Governance architecture

A workable architecture has four layers: policy (principles and risk classification), process (impact assessments before deployment, change control, incident response), monitoring (performance, fairness and drift metrics on deployed systems) and assurance (internal audit and, for high-risk systems, external review). The layers correspond to the incident-reduction and accountability mechanisms in the model.

6.4 Evaluating governance

The return on governance can be estimated from the organisation’s own data by relating incident rates and losses to governance coverage across systems and over time. Because incidents are rare, the evaluation should use near-misses and control failures as leading indicators, and should attribute avoided losses using the pre-governance incident rate as the counterfactual.

6.5 Governance and the pace of deployment

A common objection is that governance slows deployment and that the resulting delay is itself a performance cost. The objection has merit for low-risk systems, where impact assessments and reviews can be proportionate and fast, and little merit for high-risk systems, where the incidents that governance prevents include the kind that halt deployment altogether. Tiered governance addresses the objection directly by matching review effort to risk, so that the pace cost is incurred where the incident cost justifies it.

6.6 Regulatory alignment

Regulatory regimes for AI increasingly impose risk-tiered obligations: documentation, testing, human oversight and monitoring that scale with the system’s potential for harm. Organisations whose governance already scales with AI intensity, as the model recommends, will find compliance incremental; those that have under-governed will face compliance as a discontinuous cost. The

accountability benefit in the model is, in part, the option value of being prepared for regulation that is likely to arrive.

7. Limitations

The model encodes the hypothesised mechanisms with design parameters; it demonstrates their implications rather than testing them. Incident losses are treated as uniform, governance costs as convex and accountability as linear in governance. Reputational and regulatory consequences, which can dwarf direct losses, are not modelled separately. All reported values are simulation outputs.

8. Conclusion

Responsible AI governance reduces AI incidents, raises corporate accountability and, for firms that use AI intensively, improves net business performance; for firms with low AI intensity, its performance effect is neutral and its accountability benefit remains. The framing of governance as a brake on performance is therefore incorrect for the firms with the most at stake. Governance should scale with AI intensity, be valued for the accountability it creates, and be evaluated as a risk-management investment.

References

1. Aggarwal, A. (2020). Deployment of multi-factor authentication in cloud-based enterprise applications for preventing credential theft and unauthorized access through adaptive verification layers. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 3(8). https://doi.org/10.15680/IJMRSET.2020.0308009
2. Khan, S. (2017). The role of privacy-preserving techniques in database security: Secure multi-party computation, differential privacy, and homomorphic encryption. The Research Journal, 3(4), 29–35.
3. Ahuja, R. (2023). The role of artificial intelligence and machine learning in DevSecOps: Leveraging predictive analytics, automated threat detection, and anomaly identification for secure software delivery pipelines. International Journal on Recent and Innovation Trends in Computing and Communication, 11(2), 381–389. https://www.ijritcc.org/index.php/ijritcc/article/view/11946
4. Bhaskara Raju Rallabandi. (2024). DESIGNING NTN–TERRESTRIAL 6G EXPERIMENTS FOR AGRICULTURE AND SMART GRIDS. American Journal of Management and IOT Medical Computing, 3(3), 27–32. https://doi.org/10.64751/ajmimc.2024.v3.n3.pp27-32
5. Rangappa, A. S. (2022). The use of blockchain for auditable and tamper-proof database security logs: Enhancing transparency and trust in data access monitoring. International Journal on Recent and Innovation Trends in Computing and Communication, 10(9), 254–261. https://www.ijritcc.org/index.php/ijritcc/article/view/11925
6. Devulapalli, N. (2024). The role of homomorphic encryption in database security: Enabling confidential query processing, secure data sharing, and privacy-preserving analytics. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 7(8), 14319–14326. https://doi.org/10.15680/IJMRSET.2024.0708082

7. Jain, Arpit, Nageswara Rao Moparthi, A. Swathi, Yogesh Kumar Sharma, Nitin Mittal, Ahmed Alhussen, Zamil S. Alzamil, and MohdAnul Haq. "Deep Learning-Based Mask Identification System Using ResNet Transfer Learning Architecture." Computer Systems Science & Engineering 48, no. 2 (2024): 341.
8. Bhanushali, B. (2020). Effective sanctions screening and false positive identification. International Journal of Innovative Research in Science, Engineering and Technology, 9(4), 8306–8313. https://doi.org/10.15680/IJIRSET.2020.0904179
9. Kumar, Ashok, and Arpit Jain. "Image smog restoration using oblique gradient profile prior and energy minimization." Frontiers of Computer Science 15, no. 6 (2021): 156706.
10. Bhaskara Raju Rallabandi. (2022). SYNC-ADAPTIVE RESOURCE SCHEDULING IN PRIVATE 5G FOR TIME-CRITICAL APPLICATIONS. International Journal of Data Science and IoT Management System, 1(2), 40–45. https://doi.org/10.64751/ijdim.2022.v1.n2.pp40-45
11. Jain, Jaishree, Arpit Jain, Saurabh Kumar Srivastava, Chaman Verma, Maria Simona Raboaca, and Zoltán Illés. "Improved security of e-healthcare images using hybridized robust zero-watermarking and hyper-chaotic system along with RSA." Mathematics 10, no. 7 (2022): 1071.
12. Khan, S. (2018). The role of zero-trust models in database security: Eliminating implicit trust and enforcing continuous verification in enterprise data access systems. International Journal of Research in Electronics and Computer Engineering, 6(1), 1622–1628.
13. Chatrath, A. (2020). DevSecOps for financial services: An in-depth study of secure CI/CD practices, regulatory compliance, and real-time threat monitoring in cloud-based FinTech applications. International Journal of Innovative Research in Science, Engineering and Technology, 9(11). https://doi.org/10.15680/IJIRSET.2020.0911098
14. Mahadasu, S. S. (2024). Closed-loop sustainability orchestration for energy-aware RAN, edge, and data-center workloads in 5G-Advanced networks. International Journal of Engineering Research and Science & Technology, 20(2), 1392–1398. https://doi.org/10.62643/ijerst.2024.v20.n2.4407
15. Chatrath, A. (2021). Bias, fairness, and ethics in artificial intelligence: A comprehensive study of algorithmic discrimination, transparency challenges, and governance frameworks. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 4(1). https://doi.org/10.15680/IJMRSET.2021.0401014
16. Rangappa, A. S. (2024). Generative AI in human-machine collaboration: Exploring co-creation dynamics, shared agency, and the role of human oversight in AI-augmented creative and analytical tasks. International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, 13(4), 985–992. https://doi.org/10.15662/IJAREEIE.2024.1304077
17. Gupta, A. (2024). Cloud security in the era of big data: Protecting large-scale storage systems, ensuring query privacy, and safeguarding data lakes against emerging threats. International Journal of Innovative Research in Science, Engineering and Technology, 13(11). https://doi.org/10.15680/IJIRSET.2024.131100217
18. Talasila, D. (2021). A risk-based framework for database security: Identifying, classifying, and prioritizing threats for adaptive security policy enforcement. International Journal on Recent and Innovation Trends in Computing and Communication, 9(1), 54–61. https://www.ijritcc.org/index.php/ijritcc/article/view/11919
19. Gupta, A. (2022). The role of artificial intelligence in transforming healthcare delivery: A critical analysis of machine learning models, predictive diagnostics, and ethical challenges in

medical decision-making. NeuroQuantology, 20(3), 1383–1399. https://doi.org/10.48047/nq.2022.20.3.NQ23005

20. Anchala, S. (2020). Adoption of secure access service edge (SASE) in distributed enterprises for ensuring cloud application protection and network optimization through unified security frameworks. Turkish Online Journal of Qualitative Inquiry, 11(4), 2964–2973. https://doi.org/10.69980/60m26411
21. Rangappa, A. S. (2023). An analytical study of role-based access control (RBAC) and attribute-based access control (ABAC) in database security for multi-tenant and cloud-based architectures. International Journal on Recent and Innovation Trends in Computing and Communication, 11(3), 812–819. https://www.ijritcc.org/index.php/ijritcc/article/view/11943
22. Chatrath, A. (2020). The role of policy-as-code in DevSecOps: Automating compliance, governance, and risk management in cloud-native and hybrid IT environments. International Journal of Innovative Research in Computer and Communication Engineering, 8(1). https://doi.org/10.15680/IJIRCCE.2020.0801020
23. Harshitha, G., Kumar, S., Rani, S., & Jain, A. (2021, November). Cotton disease detection based on deep learning techniques. In 4th Smart Cities Symposium (SCS 2021) (Vol. 2021, pp. 496–501). IET.
24. Mahajan, R., Kanabar, K., Dey, R., Jadhav, P. V., Khan, M., & Ghantasala, G. S. P. (2026). Exploring big tech vulnerabilities: Transparent blockchain harvesting. In A. K. Singh, S. Saxena, & A. K. Haghi (Eds.), Cybernetic shield: Securing the future of machine intelligence (pp. 167–174). CRC Press. https://doi.org/10.1201/9781003567585-15
25. Anchala, S. (2019). The evolution of DevSecOps in software supply chain security: Addressing dependencies, open-source vulnerabilities, and the prevention of software supply chain attacks. International Journal of Multidisciplinary and Scientific Emerging Research, 7(1), 415–422. https://doi.org/10.15662/IJMSERH.2019.0701047
26. Jain, Arpit, Adesh Kumar, and Sanjeev Sharma. "Comparative design and analysis of mesh, torus and ring NoC." Procedia Computer Science 48 (2015): 330–337.
27. Ahuja, R. (2022). Application of static application security testing (SAST) in CI/CD pipelines for early detection of insecure coding practices through syntax tree analysis and custom rule sets. International Journal on Recent and Innovation Trends in Computing and Communication, 10(2), 80–87. https://www.ijritcc.org/index.php/ijritcc/article/view/11922
28. Aggarwal, A. (2026). Adoption of end-to-end encryption in cloud communication channels for ensuring data confidentiality and trustworthiness through secure protocol enforcement. Journal of Critical Reviews, 7(12), 5493–5499. https://doi.org/10.69980/jcr.v7:i12.13407
29. Bhanushali, B. (2020). Enhancing alert investigation process with feedback loop to increase efficiently and model tuning. International Journal of Innovative Research in Computer and Communication Engineering, 8(8), 3366–3373. https://doi.org/10.15680/IJIRCCE.2020.0808100
30. Mahadasu, S. S. (2024). AI-native wireless digital twins for precision agriculture: Edge intelligence and predictive farm operations in 6G ecosystems. International Journal of Data Science and IoT Management System, 3(1), 65–72. https://doi.org/10.64751/ijdim.2024.v3.n1.1287
31. Bhanushali, B. (2020). The industry needs a validated model to justify the immense cost of migrating from manual, periodic KYC (know your customer) to automated. International Journal

of Multidisciplinary Research in Science, Engineering and Technology, 3(11), 1799–1805. https://doi.org/10.15680/IJMRSET.2020.0311009

32. Kumar, S., Sharma, K., Kumar, P. A., Jain, A., Bhagat, S. K., & Singh, P. (2024, September). An improved particle swarm approach for energy-aware location-aided routing in mobile ad-hoc network. In 2024 7th International Conference on Contemporary Computing and Informatics (IC3I) (Vol. 7, pp. 1119–1124). IEEE.
33. Mahadasu, S. S., & Rallabandi, B. R. (2023). Federated learning for privacy-preserving RAN optimization across multi-site enterprise 5G networks. International Journal of Engineering Science and Advanced Technology, 23(4), 53–57. https://doi.org/10.64771/ijesat.2023.v23.i04.pp3847
34. Devulapalli, N. (2023). Database security and big data analytics: Protecting large-scale data warehouses, ensuring query privacy, and mitigating emerging threats in real-time analytics systems. International Journal on Recent and Innovation Trends in Computing and Communication, 11(7), 622–629. https://www.ijritcc.org/index.php/ijritcc/article/view/11939
35. Kaur, M., AlZubi, A. A., Jain, A., Singh, D., Yadav, V., & Alkhayyat, A. (2023). DSCNet: deep skip connections-based dense network for ALL diagnosis using peripheral blood smear images. Diagnostics, 13(17), 2752.
36. Khan, S. (2016). A study of data provenance and integrity in database security: Ensuring authenticity, non-repudiation, and accountability in data lifecycle management. International Journal of Research in Electronics and Computer Engineering, 4(3), 180–186.
37. Devulapalli, N. (2023). Database security in disaster recovery and business continuity planning: Ensuring data availability, backup integrity, and secure failover mechanisms. International Journal on Recent and Innovation Trends in Computing and Communication, 11(3), 820–827. https://www.ijritcc.org/index.php/ijritcc/article/view/11944
38. Bhaskara Raju Rallabandi. (2023). CLOSED-LOOP DIGITAL-TWIN MANAGEMENT FOR HYBRID 5G-NTN NETWORKS. American Journal of Management and IOT Medical Computing, 2(3), 30–35. https://doi.org/10.64751/ajmimc.2023.v2.n3.pp30-35
39. Kumar, S., Jain, A., & Moparthi, N. R. (2022). Enhanced method of object tracing using extended Kalman filter via binary search algorithm.
40. Kanabar, K., Dey, R., Mahajan, R., Jadhav, P. V., Khan, M., & Karimullah, S. (2026). Comprehensive guide to blockchain technology: Ecosystems, implementation, governance, and innovations. In A. K. Singh, S. Saxena, & A. K. Haghi (Eds.), Cybernetic shield: Securing the future of machine intelligence (pp. 175–182). CRC Press. https://doi.org/10.1201/9781003567585-16
41. Dwivedi, D. (2023). The technical and ethical challenges of building safe agentic AI systems: Balancing autonomy, predictability, alignment, and human oversight in next-generation AI models. International Journal on Recent and Innovation Trends in Computing and Communication, 11(11), 2024–2031. https://www.ijritcc.org/index.php/ijritcc/article/view/11928
42. Jadhav, P. V., Krishnan, S. B., Dey, R., & Chakrabarti, P. (2026). Combining deep learning and statistical models: LSTM-ARIMA ensemble for financial forecasting. IAENG International Journal of Computer Science, 53(1), 236–246. https://www.iaeng.org/IJCS/issues_v53/issue_1/IJCS_53_1_24.pdf

43. Jain, A. (2024, December). Energy-Efficient Signal Processing Architectures for IoT Networks Design. In 2024 International Conference on Emerging Technologies and Innovation for Sustainability (EmergIN) (pp. 362–367). IEEE.
44. Gupta, A. (2024). Containerization, virtualization, and cloud security: Analyzing vulnerabilities in Kubernetes, Docker, and hypervisor-based architectures with mitigation strategies. International Journal of Advanced Research in Education and Technology, 11(3), 1322–1331. https://doi.org/10.15680/IJARETY.2024.1103067
45. Dwivedi, D. (2024). Deployment of AI-based CAPTCHA systems in web applications for preventing automated bot attacks and brute force attempts through adaptive human verification. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 7(7), 13529–13536. https://doi.org/10.15680/IJMRSET.2024.0707292
46. Anchala, S. (2019). Database security in e-governance systems: Protecting citizen records, ensuring transparency, and managing public trust in cloud-based platforms. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 2(11), 2268–2276. https://doi.org/10.15680/IJMRSET.2019.0211014
47. Dwivedi, D. (2023). Integration of secure file upload mechanisms in user-facing applications for preventing malware injections and file-based exploits through content-type validation. International Journal on Recent and Innovation Trends in Computing and Communication, 11(6), 768–775. https://www.ijritcc.org/index.php/ijritcc/article/view/11940
48. Talasila, D. (2020). Deployment of shift-left security practices in agile development for embedding security controls early in the lifecycle and reducing technical debt through dev-centric training. Turkish Online Journal of Qualitative Inquiry, 11(1), 643–651. https://doi.org/10.69980/jzqq0t93
49. Ahuja, R. (2023). Implementation of AI-driven input validation in user interfaces for preventing injection attacks and ensuring data sanitation through adaptive filtering and pattern recognition. International Journal on Recent and Innovation Trends in Computing and Communication, 11(8), 884–891. https://www.ijritcc.org/index.php/ijritcc/article/view/11936
50. Jain, J., & Jain, A. (2022). Securing e-Healthcare Images Using an Efficient Image Encryption Model. Scientific Programming, 2022(1), 6438331.
51. Talasila, D. (2024). Adoption of data loss prevention strategies in SaaS platforms for safeguarding confidential information and preventing unauthorized transfers through real-time content inspection. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 7(7), 13537–13545. https://doi.org/10.15680/IJMRSET.2024.0707293
52. Mahadasu, S. S. (2022). Cross-domain service assurance for private 5G networks using streaming telemetry and dependency-aware event correlation. International Journal of Data Science and IoT Management System, 1(3), 51–56. https://doi.org/10.64751/ijdim.2022.v1.n3.1290
53. Aggarwal, A. (2019). Application of secure Virtual Private Cloud (VPC) architectures in public cloud infrastructure for strengthening network isolation and segmenting trust zones through fine-tuned routing. International Journal of Multidisciplinary and Scientific Emerging Research, 7(1), 423–431. https://doi.org/10.15662/IJMSERH.2019.0701048